ENVIRONMENT CLEARANCE COMPLIANCE REPORT

October 2021- March 2022

For

GRANITE BUILDING STONE QUARRY (Minor Mineral)

Extent: 4.6085 Ha. (11.387 Acres)

At

Re.Sy No.: 112/11A-3 in Balal Village

Re.Sy No.: 40/1A in Parappa Village

Taluk : Vellarikkundu

District: Kasaragod

State: Kerala,

'Granite Building Stone Quarry Project of M/s. Galaxy Metals'

EC File NO. A/5554/2018/DEIAA Dated 31/07/2018

Date: 30/05/2022

To,

The Deputy Director General of Forests (c)
MoEF, Inetgrated Regional office Kedriya Sadan,

Koramangala, 4th Floor, E&F Wings, 17th Main Road, Koramangala II Block,

Bangalore - 560034

Respected Sir,

<u>Sub</u>: Environmental Clearance Compliance Report for the period October 2021- March 2022 pertaining to 'Granite Building Stone Quarry of M/s. Galaxy Metals'

Ref: Environmental Clearance No: 201/2018 Dated:31/07/2018

As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from October 2021 to March 2022 of the EC Granted to 'Granite Building Stone Quarry of M/s. Galaxy Metals' by Ministry of Environmental & Forest under EPA (1986). Also enclosed relevant Annexures in Support of the compliance report for your perusal and record please. A soft copy of the same is sent by email for your record and perusal.

We hope you will find the attached Status Report in Order. Thanking you,

Yours truly,

For 'Granite Building Stone Quarry of M/s. Galaxy Metals'

Sri. Anwar Sadath K.

(Managing Partner)

Encl: as above

Cc: The Member Secretary

State Environment Impact Assessment Authority SEIAA)

Directorate of Environment & Climate Change 4th Floor, KSTRC Bus Terminal, Thampanoor,

Kerala-01

Introduction

Sri. Anwar Sadath K., Managing Partner, M/s. Galaxy Metals, Saheer Mansion, Athinhal, Manikoth (P.O.), Kasaragod District has granted a mining lease to the Granite Building Stone Quarry project over an area of 4.6085 Ha. in Re.Sy. No: 112/11/A-3 in Balal Village & Re.Sy.No. 40/1A in Parappa Village, Vellarikkundu Taluk.

The Environmental clearance is also obtained for this mining lease vide letter no A/5554/2018/DEIAA, Dated: 31/07/2018.

Description of the project

File No.	:	A/5554/2018/2018/DEIAA
Name of the project	:	GRANITE BUILDING STONE QUARRY (Minor Mineral) of M/s/ Galaxy Metals
District and state	:	Kasaragod, Kerala
Taluk / Mandal	: Vellarikkundu	
Village	:	Balal & Parappa
Category & Schedule		B2 & Schedule 1(a)
Khasara No. / Plot No. /		Re.Sy. No: 112/11/A-3 IN Balal Village &
Block / Gate No. etc.,	:	Re.Sy.No. 40/1A in Parappa Village
Extent of Area		4.6085 Ha
Latitude & Longitude	:	N - 12°21'35.59" to N - 12°21'37.77"
		E - 75°15'58.31" to E - 75°15'58.48"
Address of Registered office		Sri. Anwar Sadath K.,
		Managing Partner,
		M/s. Galaxy Metals,
		Saheer Mansion,
		Athinhal, Manikoth (P.O.),
		Kasaragod District.

Compliance Status of the General Conditions for Mining Projects Laid down by the District Environment Impact Assessment Authority, Kerala vide their Environment Clearance No.201/2018 Dated:31/07/2018

Part A – Specific Conditions

1	Fencing should be provided all around the lease area	Complied

Compliance:

The entire area is fenced with barbed wires and is well maintained. Photo of the Fencing is attached as **Annexure-2**.

2	Appropriate sign boards should be displayed	Noted

Compliance:

Appropriate sign boards in and around the project site will be erected. Photo of the Sign board showing EC details is enclosed as **Annexure-1**. Other appropriate sign boards will be installed by the Project proponent in and around the Project site.

	Air and sound pollution control measures as required	Noted
3	shall be provided	

Compliance:

Air and noise pollution measures will be provided. The existing vegetation can be worked as a good green belt, some native plants will be planted to enhance its effectiveness this will reduce noise and air pollution. Water tanker with sprinklers will be used to suppress the dust at origin and personal protective equipment to the labours will be provided.

4	The blasting operation shall be done in a controlled manner	Complied
	and shall not carry any harm/damages to the life and	
	property of adjacent land owners	

Compliance:

Controlled blasting will be done as per regulations. Copy of the Explosive License is enclosed as **Annexure-6**.

5	Control	measures	in	noise	and	vibration	should	be	Agreed
	impleme	ented							

Compliance:

To reduce noise and vibration, the following measures will adopt in the project site.

- ➤ Noise and vibration control measures is implemented by adapting controlled blasting.
- ➤ Use of sharp drilling bits, delivery of compressed air at optimal pressure.

 Proper maintenance of compressor, drilling machine, jackhammers and tipper trucks.
- ➤ Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area.

6	Bench cutting with height more than 5 meter and width not	Agreed
	less than 5 meter is to be insisted.	

Compliance:

The height of the benches will not exceed 5 metres, and the width will not be less

than 5 metres, in order to ensure safety.

7	After quarrying the reclaimed area shall be planted with plant	Agreed
	species using the fertile top soil proposed to be removed for	
	quarrying.	

Compliance:

The top soil excavated in relation to building stone excavation will be stacked in a designated place. This will be used for eco restoration. After Quarrying the reclaimed area will be planted with plant species using the topsoil.

8	The quarrying operation can be commenced only after proper	Complied
	marking of buffer zones of 7.5 m width all around the boundary	
	including in the existing quarry.	

Compliance:

The project proponent has maintained 7.5 meter as buffer zone in the project site. Proper marking will be done before commencing of the quarrying operations.

9	A sedimentation tank shall be constructed in the North – West	Agreed
	corner of the lease area near BP 01. The de silting shall be done	
	periodically.	

Compliance:

The project proponent will construct a sedimentation tank in the North - West corner of the lease area near BP 01 to collect the surface water in the project site. The tank will be de silted periodically.

10	Suitable	plan	t specie	s shou	ıld be pla	inted in the buff	fer zone all	Complied	
	around	the	lease	area	before	commencing	quarrying		
	operatio	ns.							

Compliance:

The lease area is vegetative with rubber and other plantations. The vegetation will be retained in the buffer zone. The less vegetative area at buffer zone will be planted with more saplings.

Part B – General Conditions

1	Rainwater	harvesting	facility should be installed as per Agreed
	prevailing	provisions	of KMBR/KPBR, unless otherwise
	specified.		

Compliance:

Rainwater harvesting is a technically feasible solution for overcoming the problem of water scarcity in Mines. Rain water harvesting facility will be constructed and maintained.

2	Environment Monitoring Cell as agreed under the affidavit	Agreed
	filed by the proponent should be formed and made functional.	

Compliance:

Environment monitoring cell will be formed & will be made functional.

3	Suitable avenue trees should be planted along either side of	Agreed
	the tarred road and open parking areas, if any, including	
	approach roads and internal roads.	

Compliance:

Suitable avenue trees will be planted all along either side of the roads, parking area and other areas in the project land using local species saplings including trees, shrubs, herbs and climbers.

4	Sprinklers shall be installed and used in the Project Site to	Agreed
	contain dust emissions.	

Compliance:

Water Tankers with Sprinklers will be used in project site to control dust emission.

5	Eco-restoration, including the Mine Closure Plan shall be	Noted.
	done at the own cost of the Project Proponent.	

Compliance:

Plantation of various saplings within the project area will be done as a part of Ecorestoration. The mine closure will be carried as agreed by the project proponent.

6	At least 10 per cent of total excavated Pit area should be	Agreed.
	retained as water storage area and the remaining area should	
	be reclaimed with stacked dumping and overburden and	
	planted with indigenous plant species that are eco-friendly, if	
	no other specific condition on reclamation of the Pit is	
	stipulated in the EC.	

Compliance:

During the Closure of the mine, 10 percent of total excavated pit will be retained as water storage area and the remaining area will be reclaimed with stacked dumping & Overburden and indigenous plant species will be planted.

7	Corporate Social Responsibility (CSR) agreed upon by the	Noted	
	Proponent should be implemented.		

Compliance:

Various CSR activities will be carried out by the Project proponent in consultation with the Panchayat.

8	The Lease area shall be fenced off with barbed wires to a	Complied
	minimum height of 4 ft around, before starting of Mining. All	
	the boundary indicators (boards, stores, markings, etc.) shall	
	be protected at all times and shall be conspicuous.	

Compliance:

Lease area is fenced off with barbed wires around the project area. Photos of the Fencing with barbed wires is enclosed as **Annexure-2**.

9	Warning alarms indicating the time of Blasting (to be done at	Agreed
	specific timings) has to be arranged as per stipulations of the	
	Explosives department.	

Compliance:

Warning alarms indicating the time of blasting will be arranged as per the stipulations. Necessary precautions while blasting is taken. Blasting time and safety boards will be made at entrance to the mine.

10	Control measures on noise and vibrations prescribed by	Agreed
	KSPCB should be implemented.	

Compliance:

➤ Noise and vibration control measures is implemented by adapting controlled blasting.

- ➤ Use of sharp drilling bits, delivery of compressed air at optimal pressure.

 Proper maintenance of compressor, drilling machine, jackhammers and tipper trucks.
- Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area.

Noise Monitoring Photos are attached as Annexure-4.

11	Quarrying activities should be limited to daytime as per	Agreed
	KSPCB guidelines/specific conditions.	

Compliance:

Quarrying activities will be limited to daytime only as per KSPCB guidelines. KSPCB Consent letter is enclosed as **Annexure-7.**

12	Blasting should be done in a controlled manner as specified by	Agreed
	the regulations of the Explosives department or any other	
	concerned agency.	

Compliance:

Controlled blasting will be done as per regulations. Copy of the Explosive License is enclosed as **Annexure-6**.

13	A licensed person should supervise/control the Blasting	Agreed
	Operations	

Compliance:

Blasting supervision/control will be done by a Mining Official having DGMS Certificate.

14	Overburden materials should be managed within the site and Agreed	
	used for reclamation of Mine Pit as per Mine closure	
	Plan/specific conditions	

Compliance:

Overburden material will be used for construction of roads and as a filler along the greenbelt for plantation purpose.

15	Height of Benches should not exceed 5 M and width should not	Agreed
	be less than 5 M, if there is no mention in the Mining	
	Plan/specific conditions	

Compliance:

The height of the benches will not exceed 5 metres, and the width will not be less than 5 metres, in order to ensure safety.

16	Mats to reduce fly rock blast to a maximum of 10PPV should	Agreed
	be provided	

Compliance:

Mats will be laid on the top of the charged holes area to control fly rock and kept below 10ppv.

sound amplifications in addition to the provisions of green belt and hollow bricks envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB. Agreed		Acoustic enclosures should have been provided to reduce	
and hollow bricks envelop for crushers so that the noise level	17	sound amplifications in addition to the provisions of green belt	Agreed
is kept within prescribed standards given by CPCB/KSPCB.	1 /	and hollow bricks envelop for crushers so that the noise level	Agreed
		is kept within prescribed standards given by CPCB/KSPCB.	

Compliance:

Acoustic enclosures will be provided to reduce sound amplifications.

18	The workers on the site should be provided with the required	Agreed
	protective equipment such as ear muffs helmet, etc.	

Compliance:

Requisite Personal Protective equipment (PPE's) will be provided to all employees.

19	Garland drains with clarifiers to be provided in the lower	Agreed
	slopes around the core area to channelize storm water.	

Compliance:

Garland drains will be constructed to channelize storm water.

20	The transportation of minerals should be done in covered	Agreed
	trucks to contain dust emissions.	

Compliance:

All trucks transporting materials will be covered by firmly tied tarpaulin.

21	The proponent should plant trees at least 5 times the loss that	Agreed
	has been occurred while clearing the land for the project.	

Compliance:

Project Proponent will plant at least 5 times the loss of plantation that has been occurred while clearing the land for the project.

22	Disposal of spent oil from diesel engines should be as	Agreed
	specified under relevant Rules/Regulations.	

Compliance:

Spent oil will be sold to approved recyclers specified under relevant

rules/regulations also re-used as a lubricant for drilling machines.

23	Explosives should be stored in magazines in isolated place	Agreed
	specified and approved by the Explosive Department.	

Compliance:

Explosives will be stored in a Licensed Explosives Magazine, which is approved by PESO. Copy of magazine license is attached as **Annexure-6.**

24	A minimum buffer distance of 50 M from the boundary of the	Noted
	quarry to the nearest dwelling unit or other structures, not being	
	any facility for mining shall be provided.	

Compliance:

No dwellings are situated within 50 M from the boundary of the quarry.

25	100 M buffer distance should be maintained from forest	Considered
	boundaries	

Compliance:

Mining area is not located near any forest areas.

26	Consent from Kerala State Pollution Control Board under	Obtained
	Water and Air Act(s) should be obtained before initiating	
	mining activity.	

Compliance:

Consent from KSPCB under Air and Water Act(s) is obtained. Copy of the Consent is attached as **Annexure-7.**

,	27	All other statutory clearances should be obtained, as	Complied
		applicable, by project proponents from the respective	
		competitive authorities including that for blasting and storage	
		of explosives.	

Compliance:

All required statutory clearances from the concerned authorities are obtained. Copy of the Explosive license is enclosed as **Annexure-6.**

28	In the case of any change(s) in the scope of the Project, extent,	Noted
	quantity, process of mining technology involved or in any way	
	affecting the environment parameters/impacts as assessed,	
	based on which only the EC is issued, the project would require	
	a fresh appraisal by this Authority, for which the proponent	
	shall apply and get the approval of this Authority.	

Compliance:

There is no change in the scope of the project.

29	The Authority reserves the right to add additional safeguard	Agreed.	
	measures subsequently, if found necessary, and to take action		
	including revoking of the Environmental Clearance under		
	provisions of the Environment (Protection) Act,1986, to ensure		
	effective implementation of the suggested safeguard measures		
	in a time bound and satisfactory manner.		

30	The stipulations by the Statutory Authorities under different .	Agreed
	Acts and Notifications should be complied with including the	
	provisions of the Water (Prevention and control of Pollution)	
	Act,1974, the Air (Prevention and control of Pollution)	
	Act1981, the Environment (Protection) Act,1986, the Public	
	Liability (Insurance) Act,1991 and EIA Notification,2006	
	1	

The project proponent should advertise in at least 2 31 newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the Project has been accorded Environment Clearance and the copies of the Clearance letters are available with the District Environment Impact Assessment Authority (DEIAA) office and may also website of the seen on the Authority www.environmentclearance.nic.in. The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same signed in all the pages should be forwarded to the Office of this Authority as confirmation

Complied

Compliance:

Advertisements are given in two local newspapers. Photo of the Newspaper advertisement is attached as **Annexure-3**.

3	32	A copy of the clearance letter shall be sent by the proponent to C	Complied
		the concerned Gram Panchayat/ District Panchayat/	
		Local NGO, if any from whom suggestions/representations, if	
		any were received while processing the proposal. The	

company by the proponent.

Compliance:

A copy of the Clearance is submitted to the concerned authorities. Copy of Panchayat license attached as **Annexure-8.**

The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective regional office of the MOEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office and also to the District Environment Impact Assessment Authority (DEIAA), as applicable.

Compliance:

Half yearly compliance reports will be submitted as stipulated to State Environmental Impact Assessment Authority and the Regional Office of MoEF & CC, Bangalore.

The monitored Photos and Report of Air, Noise and Water is attached as Annexure-4 & 5.

34	The details of Environment Clearance should be prominently		
	displayed in a metallic board of 3 ft x 3 ft with green		
	background and yellow letters of Times Roman font of size not		
	less than 40. Sign board with extent of Lease area and		

boundaries sh	nall be depicted a	at the entrance of	the quarry,
visible to the p	public		

Compliance:

Details of Environmental Clearances is prominently displayed at the entrance to the Mine. Photo of the sign board is attached as **Annexure-1**.

35	The proponent should provide notarized affidavit (indicating	Complied
	the number and date of Environmental Clearance proceedings)	
	that all the conditions stipulated in the EC shall be scrupulously	
	followed.	

Compliance:

Notarized affidavit is submitted.

36	No change in mining technology and scope of working should	Agreed
	be made without prior approval of the DEIAA. No further	
	expansion or modifications in the mine shall be carried out	
	without prior approval of the DEIAA, as applicable.	

Compliance:

Prior approval from the SEIAA will be sought in case of change of mining technology.

37	The Project proponent shall ensure that no natural water course	Complied
	and/or water resources shall be obstructed due to any mining	
	operations. Necessary safeguard measures to protect the first	
	order streams, if any, originating from the mine lease shall be	
	taken.	

Compliance:

No natural water course is obstructed. Necessary safeguard measures are taken to protect first order streams if originating from the mining lease in the future.

38	Monitoring of Ambient Air Quality to be carried out based on	Noted
	the Notification 2009, as amended from time to time by the	
	Central Pollution Control Board. Water sprinkling should be	
	increased at places loading and unloading points & transfer	
	point to reduce fugitive emissions.	

Compliance:

Monitoring of Ambient Air Quality is carried out. Monitoring reports have been enclosed as **Annexure-5.** Water sprinkling will be done at loading and unloading points & transfer points to reduce fugitive dust emission.

39	The top soil, if any, shall be temporarily be stored at earmarked	Noted
	site(s) only for the topsoilshall be used for land reclamation and	
	plantation. The Over burden (OB) generated during the mining	
	operations shall be stacked at earmarked dump site(s) only. The	
	maximum height of the dumps shall not exceed 8 m and the	
	width 20 m and overall slope of the dumps shall be maintained	
	to 45°. The OB dumps should be scientifically vegetated with	
	suitable native species to prevent erosion and surface run off. In	
	critical areas, use of geo-textiles shall be undertaken for	
	stabilization of the dump. The entire excavated area should	
	continue until the vegetation becomes self- sustaining	

Compliance:

Available top soil is used at the Reclamation of out pit and Green belt for plantation.

OB generated will be stacked separately and being vegetated with locally available shrubs and grasses.

Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly de silted particularly after monsoons and maintained properly

Compliance:

Catch drains and siltation ponds will be made around the mining workings, mineral and the water from the drain is directed to the Rain Water Harvesting Pond. The water from RWHP will be utilized for watering the mine area, roads, green belt development etc. The drains will be regularly de silted particularly after monsoons and maintained properly.

41	Effective safeguard measures such as regular water sprinkling	Agreed
	shall be carried out in critical areas prone to air pollution and	
	having high levels of PM10 and PM2.5 such as haul road,	
	loading and unloading points and transfer points-it shall be	
	ensured that the Ambient Air Quality parameters conform to	
	the norms prescribed by the Central Pollution Control Board in	
	this regard.	

Compliance:

Regular water sprinkling will be done on all necessary roads with watertankers and sprinklers.

42	Fugitive dust emissions from all sources should be controlled	Agreed	
	regularly. Water spraying arrangements on haul roads, loading		
	and unloading and transfer points should be provided and		
	properly maintained.		

Compliance:

Fugitive dust emissions will be controlled. Regular water sprinkling will be done on haul roads, loading, unloading and transfer points with water tankers with sprinklers.

43	Measures should be taken for control of noise levels below 85	Agreed
	dB (A) in the work environment.	

Compliance:

Adequate measures for noise control will be adopted.

44	A separate environmental management cell with suitable	Noted
	qualified personnel should be set up under the control of a	
	senior executive, who will report directly to the head of the	
	Organization.	

Compliance:

An Environment Management Cell will be set up with Mr. Anwar Sadath K. as the head of the Cell.

4	15	The funds earmarked for environment protection measures	Agreed
		and CSR activities should be kept in a separate account and	
		should not be diverted for other purpose. Year wise	
		expenditure should be reported to the District Environment	
		Impact Assessment Authority Kasaragod (DEIAA) office,	

Compliance:

The project proponent will execute activities under Corporate Social Responsibility (CSR) for community development. The funds earmarked for environment protection measures and CSR activities has been kept in a separate account and will not be diverted for other purpose. Year wise expenditure will be reported to the DEIAA Kasaragod office.

46	The Regional Office of the MoEF & CC located at Bangalore	Agreed
	shall monitor compliance of the stipulated conditions. The	
	project authorities should extend full cooperation to the officer	
	(S) of the Regional Office by furnishing the requisite	
	data/information/monitoring reports.	

47	Any appeal against this Environmental Clearance shall lie with	Agreed
	the National Green Tribunal, if preferred, within a period of 30	
	days as prescribed under Section 16 of the National Green	
	Tribunal Act, 2010.	

48	Concealing the factual data or submission of false/fabricated	
	data and failure to comply with any of the conditions mentioned	
	above may result in withdrawal of this clearance and attract	
	action under provisions of the Environment (Protection) Act,	
	1986.	
49	The SEIAA may revoke or suspend the order for non-	Agreed
	implementation of any of the specific or this implementation of	
	any of the above conditions is not satisfactory. The DEIAA	
	reserves the right to alter/modify the above conditions or	
	stipulate any further condition in the interest of the environment	
	protection	
50	The above conditions shall prevail not withstanding anything to	Agreed
	the contrary, inconsistent or simplified, contained in any other	
	permit, license on consent given by any other authority for the	
	same project.	
51	The order is valid for a period of 5 years of the expiry date of	Agreed
	Mine lease period issued by the Government of Kerala,	
	whichever is earlier	
52	The Environment Clearance will be subject to the final order of	Agreed
	the courts in any pending litigation related to the land or the	

project, in any court of law.

53	The Mining operations shall be restricted to above ground	Noted
	water table and it should not intersect ground water table.	

Compliance:

Mining operations will be restricted to above ground water table and due care will be taken so that mining does not intersect ground water table.

54	All vehicles used for transportation and within the mines shall	Noted
	have 'PUC' certificate from authorized pollution checking	
	center. Washing of all vehicles shall be inside the Lease area	

Compliance:

It is ensured that all transportation vehicles have 'PUC' Certificate issued by an authorized Pollution checking center. All the vehicles will be washed inside the lease area.

55	Project proponent should obtain necessary prior permission of	Agreed.
	the competent authorities for drawl of necessary quantity of	
	surface and ground water for the project.	

Compliance:

There is no need for Drawl of Surface and ground water for the project activities. The Rain Water Facility present will be made and used as a Water source.

56	Regular monitoring of flow rates and water quality upstream	Noted
	and downstream of the springs and perennial nallahs flowing in	
	and around the mine lease area shall be carried out and reported	
	in the six-monthly reports to DEIAA.	

Compliance:

No perennial nallah flows through the lease or exist around the Mine Lease.

5	57	Occupational health surveillance program of the workers Noted	
		should be undertaken periodically to observe any contractions	
		due to exposure to dust and take corrective measures, if needed.	

Compliance:


Occupational health surveillance will be undertaken periodically.

For Granite Building Stone Quarry of M/s. Galaxy Granites

Sri. Anwar Sadath K (Managing Partner)

Date:30/05/2022

SIGN BOARDS




Annexure-2
BOUNDARY PILLARS & FENCING



NEWSPAPER ADVERTISEMENT





Annexure-4

MONITORING PHOTOS





MONITORING PHOTOS



2

GLOBAL Environment & Mining Services

(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 rd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka) Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com, Website : www.globalmining.in



GEMS-LD/TF/11/01 Date: 29.01.2022

Analysis Report of Ambient Air Quality Monitoring

Granite Building Stone Quarry of

"M/s. Galaxy Metals" Extent: 4.6085 Ha.,

Re-Sy. No:112/11/A-3, Balal Village, Name of the Customer/Address

Re-Sy No: 40/1A, Parappa Village

Vellarikundu taluk

Kasaragod District, Kerala State.

Ambient Air Quality Monitoring Sample Description

Sample Collected By GLOBAL Environment & Mining Services 3 4 Duration of the Monitoring 24 Hour of Sampling

5 Location of Monitoring (A1) Core zone

ULR-TC532322000000832F Report No

Result

Si	Date		Pa	rameters in μg/r	n ³	
No.	Date	PM_{10}	PM _{2.5}	SO_2	NO ₂	Lead in PM
1	24.01.2022	44.8	22.4	14.9	11.1	BDL
NA	AQ Standards 2009	100	60	80	80	1.0

PM10 - IS 5182 (Part 23): 2006 (RA 2017)

PM2.5 - USEPA 2001

- IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0) SO₂ NO₂ - IS 5182 (Part 6): 2006 (RA 2017) BDL ((<5.0)

- IS 5182 (Part 22): 2004 (RA 2014) Lead

BDL - Below Detectable Limit.

Analyzed By J.M. Thippeswamy Chemist

Authorized Signatory K. Ramakrishna Reddy Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

 Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- specified.
 This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
 Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



(Consulting Engineers, Mine designers, Geologist & Surveyors)

3 rd Main Road, Basaveswara Badavane, HOSPET – 583201, Dist.., Bellary (Karnataka) Ph : +91 8394 229433 & 295018

: gems_hpt@yahoo.com, e-mail Website : www.globalmining.in



GEMS-LD/TF/11/01 Date: 27.01.2022

Analysis Report of Ambient Air Quality Monitoring

Granite Building Stone Quarry of

"M/s. Galaxy Metals"

Extent: 4.6085 Ha.,

1 Name of the Customer/Address Re-Sy. No:112/11/A-3, Balal Village, Re-Sy No: 40/1A, Parappa Village

Vellarikundu taluk

Kasaragod District, Kerala State.

2 Sample Description **Ambient Air Quality Monitoring**

3 Sample Collected By **GLOBAL Environment & Mining Services**

4 Duration of the Monitoring 24 Hour of Sampling

5 Location of Monitoring

(A2) Kanakapally

Report No

ULR-TC532322000000833F

Result

Si	Date		P	arameters in μg/n	1 ³	
No.	Date	PM ₁₀	PM _{2.5}	SO_2	NO ₂	Lead in PM
1	25.01.2022	48.6	24.3	18.2	13.6	BDL
NA.	AQ Standards 2009	100	60	80	80	1.0

Note: No Mining activities during the period of Monitoring.

PM10 - IS 5182 (Part 23): 2006 (RA 2017)

PM2.5 - USEPA 2001

SO₂ - IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0) NO₂ - IS 5182 (Part 6): 2006 (RA 2017) BDL ((<5.0)

- IS 5182 (Part 22): 2004 (RA 2014) Lead

BDL - Below Detectable Limit.

Analyzed By J.M. Thippeswamy Chemist

Authorized Signatory K. Ramakrishna Reddy

Technical Manager

Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory

Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise

Water Samples with the destroyed after 150ays, minerals 3 months, third papers to immediate a bays and a support so not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 rd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka) : +91 8394 229433 & 295018 Ph

e-mail : gems_hpt@yahoo.com, Website : www.globalmining.in



GEMS-LD/TF/11/01 Date: 29.01.2022

TEST REPORT OF AMBIENT NOISE LEVEL MONITORING

Granite Building Stone Quarry of

"M/s. Galaxy Metals"

Extent: 4.6085 Ha.,

Name of the Customer/Address Re-Sy. No:112/11/A-3, Balal Village,

Re-Sy No: 40/1A, Parappa Village

Vellarikundu taluk

Kasaragod District, Kerala State.

Sample Description **Ambient Noise Level monitoring**

3 Sample Collected By **GLOBAL Environment & Mining Services**

4 Particulars of Sample Collected Noise Level Meter (Equinox-107)

5 Duration of the Monitoring 24 Hours Sampling 6

25.01.2022 Date of Analysis Completion

Report No ULR-TC532322000000834F

Date	24.01.2022	25.01.2022
Name of the Location	Core Zone	Kanakapally
Time (hrs)	N1	N2
6.00	38.6	38.9
7.00	39.6	40.8
8.00	42.6	43.4
9.00	40.2	44.5
10.00	42.5	46.1
11.00	44.3	44.3
12.00	44.8	42.5
13.00	42.4	44.8
14.00	46.7	46.8
15.00	46.2	44.3
16.00	44.2	45.3
17.00	42.6	44.6
18.00	38.7	46.8
19.00	38.2	44.4
20.00	38.5	42.2
21.00	38.4	41.4
22.00	37.9	40.8
23.00	38.4	40.1
00.00	38.8	39.4
01.00	36.0	38.7
02.00	36.2	38.3
03.00	36.4	37.6
04.00	36.8	37.4
05.00	38.0	38.6

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

 Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise
- water samples will be destroyed after 15Days, witherare 5 wordings. First papers & Thirdoes 7 Days and the samples from the date of issue of wordings effective.

 This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 rd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018 e-mail : gems_hpt@yahoo.com, Website : www.globalmining.in



	ULR-	TC532322000000834F
L max	46.7	46.8
Lmin	36.0	37.4
Ld	42.8	44.4
Ln	37.5	38.9
Ldn	45.3	46.7

		Limit in dB(A) Leq		
Area Code	Category of Area	Day Time	Night Time	
A	Industrial Area	75	70	
В	Commercial Area	65	55	
С	Residential Area	55	45	
D	Silence Area	50	40	

	Day time shall mean from 6:00 am and 10.00 pm
	Night time shall mean from in between 10.00 pm and 5.00 am
	Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority
Note	Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority
	*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which relatable to human being
	A "decibel" is a unit in which noise is measured
	"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
Leq: It	s energy mean of the noise level over a specified period.

Authorized Signatory Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

 Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.

 This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



(Consulting Engineers, Mine designers, Geologist & Surveyors)

3 rd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka)

: +91 8394 229433 & 295018 e-mail : gems_hpt@yahoo.com, Website : www.globalmining.in



GEMS-LD/TF/11/01 Date: 29.01.2022

ANALYSIS REPORT OF WATER QUALITY DATA

Granite Building Stone Quarry of

"M/s. Galaxy Metals"

Extent: 4.6085 Ha.,

Name of the Customer/Address Re-Sy. No:112/11/A-3, Balal Village,

Re-Sy No: 40/1A, Parappa Village

Vellarikundu taluk

Kasaragod District, Kerala State.

Sample Collected By GLOBAL Environment & Mining Services

Sampling Method Grab Sample

Date of sample collection 24.01.2022

Date of sample Received 27.01.2022 28.01.2022 Date of sample Analyzed

ULR-TC532322000000835F Report Number

Result

SL No.	Parameters	ters Unit Resu		Test Protocol	Requirement/Limit IS: 10500: 2012	
NO.				115.7 (0.05.5) 24.3 (0.05.5)	Acceptable	Permissible
1.	рН		7.1	APHA 22 nd Edition 2012 4500 B (Pg No. 4-92 to 4-96)	6.5	8.5
2.	Colour*	Hazen	<5	IS: 3025 (PART 14)- 1984, RA- 2012 Platinum cobalt Method	5	15
3.	Taste*	-	Ag	IS 3025 Part 8 1984	Ag	Ag
4.	Odour*	-	Ag	IS: 3025 (Part 5) – 1983, Ra-2012, True Odour	Ag	Ag
5.	Turbidity	NTU	0.68	APHA 22 nd Edition 2012 2130 B (Pg No. 2-14)	T artic	5
6.	Conductivity	μS/cm	164	APHA 22nd Edition 2012 2510 B (Pg No. 2-54)	mangret as a	1.39A
7.	Total Dissolved Solids	mg/L	178	APHA 22 nd Edition 2012 2540 B (Pg No. 2-65)	500	2000
8.	Total Alkalinity as CaCO ₃	mg/L	72	APHA 22 nd Edition 2320 B (Pg No. 2-35)	200	600
9.	Total Hardness as CaCO ₃	mg/L	118	APHA 22 nd Edition 2012 2340 C (Pg No. 2-46)	200	600
10.	Calcium as Ca	mg/L	36	APHA 22 nd Edition 2012 3500 Ca B (Pg No. 3-84)	75	200
11.	Magnesium as Mg	mg/L	11.8	APHA 22 nd Edition 2012 3500 B-Mg By Calculation	30	100
12.	Chloride as Cl	mg/L	22.8	APHA 22 nd Edition 2012 4500 Cl (Pg No. 4-72)	250	1000
13.	Sulphate as SO ₄	mg/L	71	APHA 22 nd Edition 2012 4500 SO42 – E (Pg No. 4-190)	200	400
14.	Nitrates as NO ₃	mg/L	7.2	APHA 23 nd Edition - 4500 NO ₃ , – E (Pg No. 4-131 to 4-132)	45	NR
14.	Nitrate Nitrogen as NO ₃	mg/L	20	APHA 22 nd Edition 2012 4500 NO3 E (Pg No. 4-125 to 4-127)	45	No relaxation

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

 Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 rd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka)

: +91 8394 229433 & 295018 e-mail : gems_hpt@yahoo.com, Website : www.globalmining.in



					UI	LR-TC532322000000835F
15.	Fluoride as F	mg/L	0.62	APHA 23 nd Edition 2017 4500 F-D (Pg No. 4-90 to 4-91)	1.0	1.5
16.	Iron as Fe	mg/L	0.21	APHA 23 nd Edition – 3500 Fe-B (Pg No. 3-80 to 3-82)	0.3	NR
17.	Sodium as Na	mg/L	7.6	APHA 23 nd Edition 2017 Na 3500 B (Pg No. 3-99 to 3-100)		• • •
18.	Potassium as K	mg/L	0.79	APHA 23 nd Edition 3500 K B (Pg No. 3-89 to 3-90)	_exabble in in	ikar 3000 (0.6 <u>1</u> 660) 1
19.	BOD 3 days at 27° C	mg/L	NIL	IS:3025 (P.44) – 1993 , RA-2014,	<u>-</u>	<u>-</u>
20.	COD as O2	mg/L	NIL	APHA 23 nd Edition 5220 C (Pg No. 5-18 to 5-19)		hwicetto's kinnes Co-
21.	Oil & Grease	mg/L	NIL	APHA 23 nd Edition 5520 B (Pg No.5-41 to 5-42)	0.5	NR
22.	Cadmium as Cd*	mg/L	<0.001	APHA 23 RD Edition-3111 –B (Pg No.3-20 to 3-21)	0.003	NR
23.	Copper as Cu	mg/L	<0.001	APHA-23 RD Edition 3111-B (Pg No.3-20 to 3-21)	0.02	1.5
24.	Nickel as Ni	mg/L	<0.001	APHA-23 RD Edition-3111 –B (Pg No. 3-20 to 3-21)	0.02	NR
25.	Zinc as Zn	mg/L	<0.1	APHA-23 RD Edition-3111-B (Pg No. 3-20 to 3-21)	5	. 15
26.	Salinity*	PPT	NIL	APHA-23 RD Edition-3111-B (Pg No. 3-20 to 3-21)	Harrist Read	-
27.	Total Phosphorous	mg/L	<0.01	APHA-23 RD Edition 4500-D (Pg No. 4-154)	<u>-</u> v*1.	- 84
28.	Total Coliforms*	MPN/ 100ml	Ab	APHA 22 nd Edition 9222 B (Pg No.9-78)	endage of 30 years)	Paulies S
29.	Feacal Coliforms	MPN/ 100ml	Ab	APHA 22 nd Edition 9222 D (Pg No.9-85)	<u> </u>	Poser C
30.	Phyto Plankton*	Unit/L	Ab	APHA 23 nd Edition 10200 F (Pg No.10-17)		

Note: BDL Below Detectable Limit

Ag: Agreeable NR: No Relaxation RA: reaffirmed Ab: Absent

End of report

Analyzed By Chemist

Authorized Signatory 75 Technical Manager

Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory Recognized by Government of Kamataka, Maharashtra, Goa for DGPS survey

Note:

The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.

This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.

Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.

अनुज्ञप्ति प्ररुप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग । के अनुच्छेद 3(क) से (घ) देखिए।) (See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के Licence to possess: (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/1739(E70148) वार्षिक फीस रूपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

K ANWAR SADATH , Managing Partner (अधिशोनी / Occupier : K Anwar Sadath, Managing Partner). M/s. Galaxy Athinhal, P.O. Manikoth, Kanhangad, Town/Village - Ajanur, District-KASARAGOD, State-Kerala, Pincode - 671329

को अनजप्ति अनदत्त की जाती है।

2 अनुजप्तिधारी की प्रास्थिति | Status of licensee : Partnership Firm

अनजिप्त निस्नितिखित प्रयोजनों के लिए विधिमान्य है। Licence is valid only for the following purpose.

possess for use of Nitrate Mixture, Safety Fuse, Ordinary Detonator, Electric Detonators, - क उपयोग के लिए

अनुजप्ति विस्फोटकों के निम्नलिखित किस्माँ, प्रकार और मात्रा के लिए विधिमान्य है।

e is valid for the following kinds and quantity of explosives: - (क) (a)

索 Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	100 Kg.
2.	Safety Fuse	6,1	0	2500 Mtrs
3.	Ordinary Detonator	6,3	0 .	1500 Nos.
4.	Electric Detonators	6,3	0	1500 Nos.

(ख) किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनच्छेद ३(ख) और (ग) के अधीन अनुजय्ति के लिए। (b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]

10 times as above.

निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुजप्त परिसर की पृष्टि होती है। The licensed premises shall conform to the following drawing(s):

रेखाचित्र क्र (Drawing No.) E/SC/KL/22/1739(E70148) दिनाक (Dated) 06/09/2016

6 अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No. 112/11A3 , 初开 (Town/Village): Balal(v), Vellerikundu taluk

जिला (District) KASARAGOD

राज्य (State) ई मेल (E-Mail) Kerala

पिनकोड (Pincode) फैक्स (Fax)

पतिस थाना (Police Station) : Vellarikundu 671329

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं। The licensed premises consist of following facilities

द्रभाष (Phone)

Type C magazine

⁸. अनुजप्ति समय – समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधो, शर्ती और अतिरिक्त शर्ती और निम्नलिखित उपाबध्दों के अधीन रहते हुए अनुदत्त की जाती है। The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional

conditions and the following Annexures.

उपर्युक्त क्रम सं 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हए)।

Drawings (showing site, constructional and other details) as stated in serial No. 5 abov अनुजय्ति पाधिकारी व्दाररा हस्ता क्षरित इस अनुजय्ति की शर्त और अतिरिक्ति शर्ती। ditions and Additional Conditions of this licence signed by the licensing authority

दूरी प्ररूप DE-2 | Distance Form DE-2

9. यह अनुजय्ति तारीख 31 मार्च 2021 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2021.

यह अनुज़िन्त, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज़िन्त की शर्तों का अधिक्रमण करने या यदि अनजप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लाग हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable. referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 06/09/2016

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Coltroller of Explosives

South Circle, Chennai

नवीनीकरण के पृष्ठांकन के लिए स्थान Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal

समाप्ति की तारीख Date of Expiry

अनजापन पाधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp

कान्नी चैतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका द्रूपयोग विधि के अधीन गंभीर दांडिक अपराध होगा। Statutory Warning . Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

(社区 VIII | Set VIII)

मैनजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्कोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एज.ई. 3 [अनुएफेट 3 (या) से (ग) में मुख्य विस्कोटक नियंग्रक या विस्कोटक नियंग्रक या विस्कोटक नियंग्रक वाले वाले अनुमन्ति सं. E/SC/KL/22/1739(E70148) की संतें निम्नलियित हैं | The following are the conditions of licence number E/SC/KL/22/1739(E70148) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुजापन योग्य सामध्ये से अधिक नहीं होगी ।

- मैगजीन का प्रयोग उन सभी विस्फोटकों के जो इस अनुजन्ति में विनिटिस्ट हैं, रखे जाने के लिए और ऐसे रखे जाने से संकट्ट आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा, अन्यथा नहीं ।
- The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work or पैकजों को खोतले का कार्य और जिल्लाटकों को तीलले तथा पैक करते का कार्य भैगजील में नहीं किया जाएगा ।

(4) 44: 1 to succeed a superives which may be permanent to prevent explosion or fire in the one communicating with the other, Provide the various explosives of Class 2 (nitrate-mixture). Class 3 (nitrate-outboard with the communication of space.

(e) Detonators belonging to Class 6 Division 3 shall be kept separately. Class 6 Division 3 shall be kept separately.

- वर्ग 3 (लाइट्रो योगिक) के विस्परंटकों को उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुनापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा ।
- Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of becoming authority वर्ग 3 (लाइट्रो चॉनिक) के विस्पोर्टक ने इनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैंगजीन में तभी रखा जाएगा जब कि किसी विस्पोर्टक निवास ने इसके लिए विशेष मंजूरी दे दी हो ।
- (i) जब ऐसी मज़ी दे हैं गई हो तो प्रत्येक निरीक्षण पर किसी विरुप्तेटक नियक्क से ऐसा लिखित प्रमाणपव अभिधान्त कर तिया जाए जिसमें हैं। मई मज़ी के अतमेत आनेवासी अवधि दक्षित की गई हो और ऐसे प्रमाणपव के अनुजन्निधारी अपने पास रहेगा और मांग की जाने पर प्रस्तुरत करेगा।
- खिना और नान कर तान पर प्रस्तुरत करना।
 (आ जब करेड़े विस्फोटक मानक शुद्धता कर न रह जाने के कारण या दावणीकरण या नाइट्रो रसीअसरीन या दव नाइट्रो योगिक के तिकल जाने के पिन्ह पक्ट होने के कारण मैनजीन में अण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुजिन्सारी अपने ही डवर पर ऐसे विस्फोटक मिना के मुख्य नियम या विस्फोटक किया कर जाते करें।
 (Suplement of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special struction of the Controller of Exploraves.
 (a) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Exploraves at each inspection, and shall be kept by the licensee and produced on demand.
 (a) When such sanction has been given a written certificate showing the period covered by the sanction shall be obtained from the Controller of Exploraves at each inspection, and shall be kept by the licensee and produced on demand.
 (a) When such several is the structure of the sanction of the Controller of Exploraves at each inspection, and shall be kept by the licensee and produced on demand.
 (a) When such several is the sanction of the Controller of Exploraves are called intro-given or liquid intro-given or liqu

- मेंगजीन के भीतरी भाग या उसमें लगी बैंचो शंल्फों और उसकी फिटिंग का इस प्रकार सन्निमीण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहें या इस्पात के साथ संपर्क रोका जा सके । भीतरी भाग में लगी बेचे हील्फे और फिटिंग यथासाध्य बिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहें. परंतु किसी लोहे या इस्पात के

- लगी बैंग हीन्स और शिक्षिण प्रधासायण विट से मुक्त एवं साफ रखें जाएमें तथा एसे विस्कोदक जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बांबत सम्यक सावधाना बरता जाएगी कि वहां कड़ें जल मौजूद न रहें परंतु किसा जिसमें वर्ग 6 (गीला बास्य) के प्रधान के विस्कोदक से जिन्न कड़ें विस्कोदक रखा गया है।

 The interior of the magazine and the benches, shedves and fittings therein shall be so constructed or so lined or covered as to to prevent the expressure of any priors or seed consact with the explosives. Such interior, benches, shedves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean, and in the case of any explosives inshible to be dangerously affected by water, due precusations shall be taken to exclude water there from.

 Provided that so much of this condition as relates to precastions against the exposure of any time or seed shall not be obligatory in a building in which no explosive other than explosive of the Isi Division 6th (Ammunition) Class is kept.

 वहे तहित पासक कर परिकाण अधिकारी में अपने करात है तो अपने सेशाल के लिए विदेश किस कर से समाधानप्रद धोचित नहीं कर देता.

 वहे जाती एक परिकाल के परिकाण अधिकारी तहित पासक कर से समाधानप्रद धोचित नहीं कर देता.

 परंतु वह जीन कि यदि दो वा अधिक तहित पासक कर देता किया वह के परिकाण के लिए प्रधान होगा.

 परंतु वह जीन कि यदि दो वा अधिक तहित पासक कर परिकाण के लिए पर सभी परिकाण के लिए प्रधान होगा.

 परंतु वह जीन कि यदि दो वा अधिक तहित पासक कर परिकाण के लिए परंति कर परिकाण के लिए प्रधान होगा.

 परंतु वह जीन कि यदि दो वा अधिक तहित पासक कर परिकाण के लिए परंति कर पर्ति होगा.

 परंतु वह जीन किया होगा कर स्थाप के लिए परंति के विदेश कर गई है।

 If the lighting conductor is tested by the Controller of Explosives, the licensee for each subsequent test until the lighting.
- If the lighting conductor is tested by the Controller of Explosives, the licensec shall pay the foes prescri conductor is passed by the testing officer as statifactory. Provided that the fees payable for a single test shall be charged for all tests made on a conductor during an

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee presembed in this condition for testing a single lighting conductor उपयुक्त तथा जैंड रहित कार्यकरण वस्त्री . उपयुक्त जूरी के प्रयोग स्टारा तथा तसारी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनीं स्टारा इस बाबत सम्थक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्निन, दियासमाई अथवा ऐसी कोई वस्तुरिए या पदार्थ,

- उपयुक्त तथा जेब रहित करिकरण वस्ती , उपयुक्त जूरी के प्रवीग द्वारा तथा तसारी लेकर या अन्याधा अधवा ऐसे किन्ही साधनी द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में ऑस्म, दियासलाई अथवा ऐसी संदर्शन स्थित या प्रदाण, जिससे विस्फोट हो सकता है या आग सम सकते ही लिक्न हुई सार के कि कारण परिस संदर्शन सिम्म कोई विस्फोटक नहीं रखा मान है।

 उपल प्रदाण के बात मान के बात मान के लिक्न हुई सार के अपयोग को लागू होता है, एके किसी मान कर कर में हैं। मान कर कोई विस्फोटक नहीं रखा मान है।

 उपल प्रपाण करित के बात मान के लिक्न हुई सार के अपयोग को लागू होता है, एके किसी मान कर कर नहीं होगा जिससे मिन्न कोई विस्फोटक नहीं रखा मान है।

 उपल प्रपाण करा को कि एक प्रपाण करित है या इस्त के अपयोग को लागू होता है, एके किसी मान कर कर नहीं होगा जिससे मिन्न कोई विस्फोटक नहीं रखा मान है।

 उपल प्रपाण करित है वा अपयोग के स्वार्थ के साथ कर नहीं होगा जिससे मिन्न कोई विस्फोटक नहीं रखा मान है।

 उपल प्रपाण करित है वा अपयोग है।

 अप कि का कर का क्षण करित है के साथ के किस है कि साथ करित है।

 उपल प्रपाण करित है कि साथ करित है।

 उपल प्रपाण करित है अपर अपर है कि साथ करित है।

 उपल प्रपाण करित है अपर साथ है।

 उपल प्रपाण करित है अपर स
- परिसरों में कोई परिवर्तन या तक्टीनी अनुनापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुनाप्तिधारी ऐसी किसी शर्त का अनुपासन करेगा जो इस निमित्त अनुनापन प्राधिकारी विनिद्दिष्ट करें । 12
- ty and the Iscensee shall comply with any conditu
- मैंगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हातत में बनाई रखी जाएगी)। यदि किसी करणवश किसी विरूपेटक के अण्डारण के लिए मैंगजीन अनुपयुक्त हो जाती है तो अनुमित्तवारी इस बात की सुचना अनुजापन प्राधिकारी की तुरंत देगा
 - Magazine shall at all times be kept in state of good repair (or intantaned ir good condition). The bicenser shall report to bicensing authority forthwith का अनुपार क्रेमारिक विवागी प्रस्तुत करेगा।
 मिन्नीक का अनुपारिकारों इस नियमों के नियम 24 के उप-नियम 3 के अनुपार क्रेमारिक विवागी प्रस्तुत करेगा।
 The biconsec of the magazine shall intering quarterly return as per sub-rules (2) and (4) of rule 2 of these rules
 बाद सुरक्ष दूरी का कोई अधिक्रमण होता है तो उसकी सुचना अनुपारन प्राधिकारी को आवश्यक सत्माह और कार्यवाही के लिए तुस्त ही जाएगी।
- 15
- Any enconstituent of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.

 पर स्टानिक किन्छ हुआ अरखा अनुपर्यानी जाया जाता है तो उसकी सूचना अनुनाधन पाणिकारी की सत्ताह पात्त का नहने के लिए तुरंत दी जाएगी ।

 The licensing authority shall be immediately informed for advice if sany explosive is found determorated or unserviceable.

 विस्थादकों के पैकेटों के यह हुत प्रकार तथाए जाएंगे कि कम से कम एक ह्यक्ति अपहार किए गए सभी पैकजों की हालत की जाय करने और प्रत्येक पैकेड की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके। The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packa तिवेत चातकरें के अगि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी देशा में 10 औहम से अधिक नहीं होगा ।
- The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms मैंगजील के चारों और 15 मीटर की दूरी के अंतर्गत कोई शुक्क पास या झाड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी।
- A distance of 15 meters surrounding the magazine or store house shall be kept clear of direct grass or bush or flammable mate विस्फोटको के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा ही, क्षेक दशा जानने के लिए परीशा की जाएगी । 18
- Every package of explosive at the time of bringing inside the magazine shall be examined for its sound o किसी मैगाजीन अहारताह में किसी एक समय में चार ट्यक्तियों से अधिक को नहीं रहते दिया जाएगा। Not move than a persons shall be allowed inside the magazine or store house in any one time विश्यचेटकों के खासी पैकजी को शोधतिशोध वहां में हटा दिया जाएगा और सफ्ट कर दिया जाएगा। 19
- 20
- limpty packages of the explosives shall be removed at the earliest and destroyed. \ अनुत्रीत्त्वारी और कमेचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए । 21.
- 22
- निरोक्षण या ननूना अधिकरी को सभी युक्तिवृक्त समयों पर अनुजत परिसर में अबाध रूप से पूर्वने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है. अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी। Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the officer. es to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisi
- यदि अनुजापन पाधिकारी या विस्फोटक नियपक अनुजापितधारक को अनुजात परिसरों या मशोनरी, ट्स या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के
- अंदर या बाहर वा ट्यक्तियों की सुरक्षा के लिए आवश्यक है. अनुजान्तिपारक लिफारिश को निष्पादित करेगा और विनिद्दिष्ट अवधि के जीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा ।

 If the licensing authority er a Controller of Explosives informs in writing, the holder of the license to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period
- अनुत्रपितधारी मेगजीन में रखने और बिक्री के लिए पाधिकृत विस्फोटक सूची में उल्लिखित अनुमत फैक्टरी या कंपनी से प्राधिकृत विस्फोटक /आतिशवाजी या सुरक्षा पसीले खरीदेगा । 24
- 25

- The licenses shall purchase authorised explosives (frewarks or safety flux as mensioned in the list authorised explosives from a licensed factory or con निम्न से अधिक स्वति स्तर उत्पादित करने वाहे आतिस्वाधियां पराखों की बिकी और रखते के लिए का जी पटने की जगह से चार मीटर की दूरी पर हैं [25 डी बी (ए)] या (45 डी बी) श्रीणों के प्रतिबंधित होने (खी) के जन करने वाहे उपनित्यात पराखों के लिए उपयोक्त उन्हिल्लिक सीमा 5 लीम 10(एम) ही बी (सी) पी के प्रतिबंधित होने (खी) कुंडला जुई हुए पराक्ष) को गठन करने वाहे उपनित्यात पराखों के लिए उपयोक्त उन्हिल्लिक सीमा 5 लीम 10(एम) ही बी (सी) पी के प्रतिबंधित होने कि possession and sale of fire-crackers generating noise level exceeding. i) 125 dB(Al) or 145 dB(C)pk at 4 n
- b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log 10 (N) dB, where N = number of crackers joined together असम् या विस्फोट ट्वारा दुवेटना वा नुकसान पटार्खी की कमी या चौरी, तुरंत पास के पुलिस धाने और अनुजापन प्राधिकारी और अनुजापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।

अतिरिक्त शर्ते / Additional Conditions :

1. अनुजप्तीधारी विदेशी मूल के आतिशबाजी को ना रखेगा ना ही उसकी बिक्री करेगा । The licensee shall not possess and sale lireworks of foreign origin.

E Chiva

KSPCB CONSENT LETTER

FILE NO: PCB/KSRD/ICO/2236/2018

Date of issue: 05/10/2018



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO

OPERATE/AUTHORISATION/REGISTRATION

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974 The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

As per Application No. :8602247 Dated:14-08-2018

TO

M/s GALAXY METALS
BALAL AND PARAPPA VILLAGE
NILESHWAR
KASARAGOD

Consent No.: PCB/KSRD/ICO/164/2018

Valid Upto :30/09/2023

1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit.

1	VALIDITY	30/09/2023
2	Name and Address of the establishment	GALAXY METALS BALAL AND PARAPPA VILLAGE NILESHWAR KASARAGOD 671314
3	Communication	Telephone :0-9845521474 Fax :- E-mail:drshareefka@yahoo.com
4	Occupier Details	K.ANWAR SADATH MANAGING PARTNER GALAXY METALS PARAPPA (PO) NILESHWAR KASARAGOD
5	Local Body	BALAL AND KINANOOR KARINTHALAM PANCHAYTH
6	Survey Number	40/1A,112/11A3
7	Village	PARAPPA AND BALAL
8	Taluk	VELLARIKUNDU
9	District	KASARGOD
10	Capital Investment(Rs in Lakhs)	75
11	Scale	Small
12	Category	RED
13	Annual fee(Rs)	Rs.22000/-
	Total Fee remitted(Rs)	Rs.110000/-
14	RAW MATERIAL	PRODUCTS
	As stipulated in environmental clearance	As stipulated in environmental clearance
15	Total Power Required (HP)	338 HP

2. CONDITIONS AS PER

The Water(Prevention and Control of Pollution)Act, 1974

- 2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.
- 2.2 Water consumption: DOMESTIC-250 L/D
- 2.3 Effluent generation: no trade effluent generation

	2.4	The characteristics of effluent after treatment shall confirm to the following tolerance limits:
--	-----	--

SI.NO.	Characteristics	Unit	Tolerance Limit	
			Sewage	Trade Effluent

2.5 Mode of disposal of treated effluent: no trade effluent

3. CONDITIONS AS PER

The Air(Prevention and Control of Pollution)Act, 1981

3.1 Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No.	Sources of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level	Roof Level	

3.2 Emission characteristics shall not exceed the following:

SI.No.	Parameter	Limiting Standards (mg/Nm3)

4. CONDITIONS AS PER

The Environment (Protection) Act, 1986.

- 4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.
- 4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001
- Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 4.3.1 Activities for which Authorisation is granted

Collection	transport	
Reception	Storage	
Treatment	Reprocessing/Disposal	

4.3.2 Type, quantity and mode of storage/collection/disposal of hazardous wastes shall be as follows:

SI.No.	Hazardous Waste	Sc	hedule Category	Quantity Tonne/year	
Mode of					
Storage Disposal				Disposal	

4.4 E-waste shall be disposed off safely as per the E-Waste (Management)Rules, 2016.

5. SPECIFIC CONDITIONS

5.1 The location of the industry/out let shall be as per the approved drawing attached. No change or alteration or expansion of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the application and/or in the identity of the occupier/authorized agent is to be intimated to the Board forthwith.

- 5.2 For renewal of the Consent to Operate in case of continuance of operation of the quarry, application in the prescribed form shall be submitted through the web portal of the Board for Online Consent Management & Monitoring System 2 months prior to the date of expiry. Late application will be accepted only with fine.
- 5.3 The consent issued from the board is only with respect to the powers vested under the Water (prevention and control of pollution) Act 1974, Air (prevention and control of pollution) Act 1981 and the Rules there under. The operation of the quarry shall be commenced only after obtaining clearances from all concerned Authorities.
- 5.4 This consent will be valid only when the Environmental Clearance obtained for the quarry is valid.
- 5.5 There shall not be any quarrying activity between 6 pm to 6 am.
- 5.6 The suspended particulate matter (PM 10) in ambient air at the boundary of the quarry shall not exceed 100 microgram/m3
- 5.7 The suspended particulate matter (PM 2.5) in ambient air at the boundary of the quarry shall not exceed 60 microgram/m3
- 5.8 The sound level (Leq) at 1 m outside the boundary of the site should not exceed the ambient noise Standard applicable to the adjoining areas.
- 5.9 The applicant shall provide adequate facilities to conduct ambient air and sound monitoring as noted in condition 5.6 to 5.8.
- 5.10 Periodical monitoring of ambient air and sound shall be conducted by the applicant and the report shall be submitted to the District office of the Board once in a year.
- 5.11 The applicant shall put up a sign board of size 6ft x 4ft. near the main entrance of the quarry. The board shall display the name of the industry and important consent conditions.

DATE:05/10/2018


SIGNATURE & SEAL OF ISSUING AUTHORITY ENVIRONMENTAL ENGINEER



To

K.ANWAR SADATH MANAGING PARTNER GALAXY METALS PARAPPA (PO) NILESHWAR KASARAGOD

- 1. This digitally signed document is legally valid as per the Information Technology Act 2000
- 2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.



PANCHAYAT LICENSE



നമ്പർ: 98/2021-2022/JC1/2123/21

തീയതി: 28/02/2022

ബളാൽ ഗ്രാമപഞ്ചായത്ത്

ബളാൽ പി.ഒ., കാസറ്റോഡ് (ജില്ല)

പിൻ: 671533, ഫോൺ: 04762 242235, ഇ-മെയിൽ: secbalalgp@gmail.com

വ്യവസായം, വാണിജ്യം, സംരഭകത്വം, മറ്റ് സേവനങ്ങൾക്കുള്ള ലൈസൻസ്

(കെ.പി.ആർ ആക്ട് സെക്ഷൻ 232, FTE & OS ലൈസൻസ് ചട്ടങ്ങൾ 1996)

ലൈസൻസിയുടെപേര്	കെ അൻവർ സാദത്ത്				
ലൈസൻസിയുടെ മേൽവിലാസം	മാനേജിംഗ് പാർട്ലർ,ഗാലക്ലി മെറ്റൽസ്,സഹീർ മാൻഷൻ,അതിഞ്ഞാൽ,മാണിക്കോത്ത് പി ഒ,കാസർഗോഡ്				
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	ഗ്യാലക്ലി മെറ്റൽസ്				
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കൽ ക്വാറ	า			
വാർഡ് നമ്പർ/കെട്ടിട നമ്പർ	XVI/Re Survey No:112/11A3 of Balal Village				
ലൈസെൻസ് കാലാവധി	28/02/2022	മുതൽ 31/03/2022 റ	⊔ 60		
*	തുക	രസീത് നമ്പർ	തീയതി		
ലൈസെൻസ് ഫീസ്	5000 /- രൂപ	120010104268	25/02/2021		
മോട്ടോർ ഫീസ്	3380 /- രൂപ	120010104268	25/02/2021		
തൊഴിൽ നികുതി	2500 /- രൂപ	121010104560	28/02/2022		
ലൈസെൻസ് അനുവദി- ക്കുന്നതിന് ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാപനം)	1. Explosive Licence issued by Deputy C 2. Environmental Cleby DEIAA Kasargoo 3. Mining Mate's Cer Chairman, Board of	B/KSRD/ICO/164/2018 valid upto 30/0 No:E/SC/KL/22/1739(E70148) valid up Cheif Controller of Explosives,Ernakula arance No:A/5554/2018/DEIAA dtd 31 d tificate of Competency No:4084 issued f Mining Examinations No: WP (C) NO 28202 OF 2021(A) dtd	oto 31/03/2026 m 1/07/2018 Issued d by Hon.High		

ഓഫീസ് മുദ്ര

10-3-22 MINIESON

ബളാൽ ഗ്രാമപഞ്ചായത്ത്

ലൈസൻസി താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

- ഫേരള പഞ്ചായത്ത് രാജ് ആകടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- മതാഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൈകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാണ്.
- ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്ക വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- 4 പഞ്ചായത്തിൽ നിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- തോഴിൽ സ്ഥലവും പരിസരങ്ങളും വ്യത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാക്കാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച,അണുക്കൾ,പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- െ ഒരോ പ്രവർത്തിദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 7 ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച്, സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
- ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുവരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചപ്പുചവറോ, അസഹ്യവും, ഉപദ്രവകരവുമാ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
- 9 ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് വതിക്കേണ്ടതാണ്.
- 🌼 അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ധുചെയ്യുന്നതാണ്.
- ഏതെങ്കിലും തരത്തിലുള്ള ത്വക്ക് രോഗമോ കുഷ്യ രോഗമോ വ്രണമോ പകർച്ച വ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 12 17/02/2019 ലെ സ.ഉ. (കൈ) നം.7/2019 പരിസ്ഥിതി ഉത്തരവ് പ്രകാരം ഒറ്റത്തവണ ഉപയൊഗിക്കുന്ന നിരോധിത വസ്സുക്കൾ ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ വിതരണം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
- ¹³ സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
- 14 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയ്ലറ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- ¹⁵ നിരോധിത ഉൽപന്നങ്ങളായ പാൻമസാല, ഗുഡ്ഖ തുടങ്ങിയവ സംഭരിച്ചുവയിക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.

¹⁷ മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യപ്പെടുന്നതിന് കാരണമാകാവുന്നതാണ്.

ബളാൽ ഗ്രാമപഞ്ചായത്ത്

N.B:- ഈ ലൈസൻസ് അവസാനിക്കുന്ന ത്രീയ്തിക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള ഫീസ് ഒടുക്കുവരുത്തേണ്ടതാണ്.



നമ്പർ: 96/2021-2022/SC2/2020/21

തീയതി: 01/04/2021

കിനാനൂർ കരിന്തളം ഗ്രാമപഞ്ചായത്ത്

കരിന്തളം പി.ഒ., കാസറ്റോഡ് (ജില്ല)

പിൻ: 671314, ഫോൺ: 04762 235350, ഇ-മെയിൽ: seckkarinthalamgp@gmail.com

വ്യവസായം, വാണിജ്യം, സംരഭകത്വം, മറ്റ് സേവനങ്ങൾക്കുള്ള ലൈസൻസ്

(കെ.പി.ആർ ആക്ട് സെക്ഷൻ 232, FTE & OS ലൈസൻസ് ചട്ടങ്ങൾ 1996)

ലൈസൻസിയുടെപേര്	കെ.അൻവർസാദത്ത്			
ലൈസൻസിയുടെ മേൽവിലാസം	മാനേജിംഗ് പാർട്ട്ണർ,ഗ്യാലക്ലി മെറ്റൽസ് സഹീർ മാൻഷൻ ,അതിഞ്ഞാൽ , മാണിക്കോത്ത് പി.ഒ , കാസറഗോഡ് ജില്ല			
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	ഗ്യാലക്ലി മെറ്റൽസ്			
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	ജിയോളജി വകുപ്പിൽ നിന്നും ലഭിക്കുന്ന ഖനനാനുമതിയിലെ നിബന്ധനകൾക്ക് വിധേയമായി പാറക്കല്ല് മുറിക്കുകയോ,സംഭരിച്ച് വയ്ക്കുകയോ,വില്പന നടത്തുകയോ ചെയ്യുന്നതിന്			
വാർഡ് നമ്പർ/കെട്ടിട നമ്പർ	IX/Re survey No.40/1A of Parappa Village			
ലൈസെൻസ് കാലാവധി	01/04/2021 മുതൽ 31/03/2022 വരെ			
	തുക	രസീത് നമ്പർ	തീയതി	
ലൈസെൻസ് ഫ <mark>ീ</mark> സ്	5000 /- രൂപ	104216	23/02/2021	
മോട്ടോർ ഫീസ്		A PARTITION OF THE PARTY OF THE		
തൊഴിൽ നികുതി	5000 /- രൂപ	104217	23/02/2021	
ലൈസെൻസ് അനുവദി- ക്കുന്നതിന് ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാപനം)	Explosive licence No.E Controller of Explosive	KSRD/ICO/164/2018 valid upto J/SC/KL/22/1739(E70148) issued e Ernakulam valid upto 31/3/20 nce No.201/2018 dt. 31/7/2018	by Dy.Chief 26	

Hon.High Court Judgement No.WP(C) No.28202 of 2021

Dated:21/02/2022

ഓഫീസ് മുദ്ര

സെക്രട്ടറി

കിനാനൂർ കരിന്ത**ള് ഈ മ്ലിട്ട**ിട്ടയത്ത് Panchayat D. B. Karindalam, Kasaragad Dt.-67130

ലൈസൻസി താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

- ഫോള പഞ്ചായത്ത് രാജ് ആകടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- മതാഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൈകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാണ്.
- ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്ക വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- 4 പഞ്ചായത്തിൽ നിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- തോഴിൽ സ്ഥലവും പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാക്കാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച,അണുക്കൾ,പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സുക്ഷിക്കേണ്ടതാണ്.
- ഒരോ പ്രവർത്തിദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 7 ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മ്യഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച്, സെക്രട്ടറിക്ക് തൃപ്ലികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
- ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുവരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചപ്പുചവറോ, അസഹ്യവും, ഉപദ്രവകരവുമാ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
- ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് വയിക്കേണ്ടതാണ്.
- 🕫 അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ധുചെയ്യുന്നതാണ്.
- ്വ ഏതെങ്കിലും തരത്തിലുള്ള ത്വക്ക് രോഗമോ കുഷ്യ രോഗമോ വ്രണമോ പകർച്ച വ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 12 17/02/2019 ലെ സ.ഉ. (കൈ) നം.7/2019 പരിസ്ഥിതി ഉത്തരവ് പ്രകാരം ഒറ്റത്തവണ ഉപയൊഗിക്കുന്ന നിരോധിത വസ്തുക്കൾ ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ വിതരണം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
- 13 സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
- 14 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയ്ലറ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- ¹⁵ നിരോധിത ഉൽപന്നങ്ങളായ പാൻമസാല, ഗുഡ്ഖ തുടങ്ങിയവ സംഭരിച്ചുവയിക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.
- ¹⁷ മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യപ്പെടുന്നതിന് കാരണമാകാവുന്നതാണ്.

SECRETARY

കിനാനൂർ കരിന്തളം ഗ്രാമപഞ്ചായത്ത് a Panchayat

N.B:- ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള ഫീസ് ഒടുക്കുവരുത്തേണ്ടതാണ്.