

# **ENVIRONMENT CLEARANCE**

## **COMPLIANCE REPORT**

**October 2022- March 2023**

*For*

***GRANITE BUILDING STONE QUARRY (Minor Mineral)***

**Extent: 4.6085 Ha. (11.387 Acres)**

*At*

*Re.Sy No. : 112/11A-3 in Balal Village*

*Re.Sy No. : 40/1A in Parappa Village*

*Taluk : Vellarikkundu*

*District: Kasaragod*

*State : Kerala,*

**'Granite Building Stone Quarry Project of**

**M/s. Galaxy Metals'**

**EC File NO. A/5554/2018/DEIAA Dated 31/07/2018**

Date: 21.04.2023

To,  
**The Deputy Director General of Forests (c )**  
MoEF, Integrated Regional office Kedriya Sadan,  
Koramangala, 4th Floor, E&F Wings,  
17th Main Road, Koramangala II Block,  
Bangalore – 560034

Respected Sir,

**Sub: Environmental Clearance Compliance Report for the period October 2022- March 2023 pertaining to 'Granite Building Stone Quarry of M/s. Galaxy Metals'**

**Ref: Environmental Clearance No: 201/2018 Dated:31/07/2018**

As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from October 2022 to March 2023 of the EC Granted to 'Granite Building Stone Quarry of M/s. Galaxy Metals' by Ministry of Environmental & Forest under EPA (1986). Also enclosed relevant Annexures in Support of the compliance report for your perusal and record please. A soft copy of the same is sent by email for your record and perusal.

We hope you will find the attached Status Report in Order. Thanking you,

Yours truly,

For 'Granite Building Stone Quarry of **M/s. Galaxy Metals'**

**Sri. Anwar Sadath K.**  
(Managing Partner)

Encl: as above

Cc: The Member Secretary

State Environment Impact Assessment Authority SEIAA)  
Directorate of Environment & Climate Change  
4th Floor, KSTRC Bus Terminal, Thampanoor,  
Kerala-01

***EC Compliance Report for the period of October 2022 – March 2023  
“Granite Building Stone Quarry Project of M/s. Galaxy Metals”***

**Introduction**

Sri. Anwar Sadath K., Managing Partner, M/s. Galaxy Metals, Saheer Mansion, Athinhal, Manikoth (P.O.), Kasaragod District has granted a mining lease to the Granite Building Stone Quarry project over an area of 4.6085 Ha. in Re.Sy. No: 112/11/A-3 in Balal Village & Re.Sy.No. 40/1A in Parappa Village, Vellarikkundu Taluk.

The Environmental clearance is also obtained for this mining lease vide letter no A/5554/2018/DEIAA, Dated: 31/07/2018.

***EC Compliance Report for the period of October 2022 – March 2023***  
***“Granite Building Stone Quarry Project of M/s. Galaxy Metals”***

**Description of the Project**

File No.	A/5554/2018/2018/DEIAA
Name of the project	GRANITE BUILDING STONE QUARRY (Minor Mineral) of M/s/ Galaxy Metals
District and state	Kasaragod, Kerala
Taluk / Mandal	Vellarikkundu
Village	Balal & Parappa
Category & Schedule	B2 & Schedule 1(a)
Khasara No. / Plot No. / Block / Gate No. etc.,	Re.Sy. No: 112/11/A-3 IN Balal Village & Re.Sy.No. 40/1A in Parappa Village
Extent of Area	4.6085 Ha
Latitude & Longitude	N - 12°21'35.59" to N - 12°21'37.77" E - 75°15'58.31" to E - 75°15'58.48"
Address of Registered office	Sri. Anwar Sadath K., Managing Partner, M/s. Galaxy Metals, Saheer Mansion, Athinal, Manikoth (P.O.), Kasaragod District.

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**Compliance Status of the General Conditions for Mining Projects Laid down by the District Environment Impact Assessment Authority, Kerala vide their Environment Clearance No.201/2018 Dated:31/07/2018**

**SPECIFIC CONDITIONS:**

Sl. No	Condition	Status of Compliance
1	Fencing should be provided all around the lease area	The entire area is fenced with barbed wires and is well maintained. Photo of the Fencing is attached as <b>Annexure-2</b> .
2	Appropriate sign boards should be displayed	Appropriate sign boards in and around the project site will be erected. Photo of the Sign board showing EC details is enclosed as <b>Annexure-1</b> . Other appropriate sign boards will be installed by the Project proponent in and around the Project site.
3	Air and sound pollution control measures as required shall be provided	Air and noise pollution measures will be provided. The existing vegetation can be worked as a good green belt, some native plants will be planted to enhance its effectiveness this will reduce noise and air pollution. Water tanker with sprinklers will be used to suppress the dust at origin and personal protective equipment to the labours will be provided.
4	The blasting operation shall be done in a controlled manner and shall not carry any harm/damages to the life and property of adjacent land owners	Controlled blasting will be done as per regulations. Copy of the Explosive License is enclosed as <b>Annexure-6</b> .
5.	Control measures in noise and vibration should be implemented	Noise and vibration control measures is implemented by adapting controlled blasting. Use of sharp drilling bits, delivery of compressed air at optimal pressure. Proper maintenance of compressor, drilling machine, jackhammers and tipper trucks. Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area.
6	Bench cutting with height more than 5 meter and width not less than 5 meter is to be insisted.	The height of the benches will not exceed 5 metres, and the width will not be less than 5 metres, in order to ensure safety.

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

7	After quarrying the reclaimed area shall be planted with plant species using the fertile top soil proposed to be removed for quarrying.	The top soil excavated in relation to building stone excavation will be stacked in a designated place. This will be used for eco restoration. After Quarrying the reclaimed area will be planted with plant species using the topsoil.
8	The quarrying operation can be commenced only after proper marking of buffer zones of 7.5 m width all around the boundary including in the existing quarry.	The project proponent has maintained 7.5 meter as buffer zone in the project site. Proper marking will be done before commencing of the quarrying operations.
9	A sedimentation tank shall be constructed in the North – West corner of the lease area near BP 01. The de silting shall be done periodically.	The project proponent will construct a sedimentation tank in the North – West corner of the lease area near BP 01 to collect the surface water in the project site. The tank will be de silted periodically.
10	Suitable plant species should be planted in the buffer zone all around the lease area before commencing quarrying operations.	The lease area is vegetative with rubber and other plantations. The vegetation will be retained in the buffer zone. The less vegetative area at buffer zone will be planted with more saplings.

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**GENERAL CONDITIONS:**

1.	Rainwater harvesting facility should be installed as per prevailing provisions of KMBR/KPBR, unless otherwise specified.	Rainwater harvesting is a technically feasible solution for overcoming the problem of water scarcity in Mines. Rain water harvesting facility will be constructed and maintained.
2.	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Environment monitoring cell will be formed & will be made functional.
3.	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including approach roads and internal roads.	Suitable avenue trees will be planted all along either side of the roads, parking area and other areas in the project land using local species saplings including trees, shrubs, herbs and climbers.
4	Sprinklers shall be installed and used in the Project Site to contain dust emissions.	Water Tankers with Sprinklers will be used in project site to control dust emission.
5	Eco-restoration, including the Mine Closure Plan shall be done at the own cost of the Project Proponent.	Plantation of various saplings within the project area will be done as a part of Eco-restoration. The mine closure will be carried as agreed by the project proponent.
6	At least 10 per cent of total excavated Pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of the Pit is stipulated in the EC.	During the Closure of the mine, 10 percent of total excavated pit will be retained as water storage area and the remaining area will be reclaimed with stacked dumping & Overburden and indigenous plant species will be planted.
7	Corporate Social Responsibility (CSR) agreed upon by the Proponent should be implemented.	Various CSR activities will be carried out by the Project proponent in consultation with the Panchayat.
8.	The Lease area will be fenced off with barbed wires to a minimum height of 4 ft around, before starting of Mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	Lease area is fenced off with barbed wires around the project area. Photos of the Fencing with barbed wires is enclosed as <b>Annexure-2</b> .
9.	Warning alarms indicating the time of Blasting (to be done at specific timings) has to be arranged as per stipulations of the Explosives department.	Warning alarms indicating the time of blasting will be arranged as per the stipulations. Necessary precautions while blasting is taken. Blasting time and safety boards will be made at entrance to the mine.

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

10.	Control measures on noise and vibrations prescribed by KSPCB should be implemented	Noise and vibration control measures is implemented by adapting controlled blasting. Use of sharp drilling bits, delivery of compressed air at optimal pressure. Proper maintenance of compressor, drilling machine, jackhammers and tipper trucks. Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area. Noise Monitoring Photos are attached as <b>Annexure-4.</b>
11	Quarrying activities should be limited to daytime as per KSPCB guidelines/specific conditions.	Quarrying activities will be limited to daytime only as per KSPCB guidelines. KSPCB Consent letter is enclosed as <b>Annexure-7.</b>
12	Blasting should be done in a controlled manner as specified by the regulations of the Explosives department or any other agency.	Controlled blasting will be done as per regulations. Copy of the Explosive License is enclosed as <b>Annexure-6.</b>
13	A licensed person should supervise/control the Blasting Operations	Blasting supervision/control will be done by a Mining Official having DGMS Certificate.
14	Overburden materials should be managed within the site and used for reclamation of Mine Pit as per Mine closure Plan/specific conditions	Overburden material will be used for construction of roads and as a filler along the greenbelt for plantation purpose.
15	Height of Benches should not exceed 5 M and width should not be less than 5 M, if there is no mention in the Mining Plan/specific conditions	The height of the benches will not exceed 5 metres, and the width will not be less than 5 metres, in order to ensure safety.
16	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided	Mats will be laid on the top of the charged holes area to control fly rock and kept below 10ppv.
17	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow bricks envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Acoustic enclosures will be provided to reduce sound amplifications.
18	The workers on the site should be provided with the required protective equipment such as ear muffs helmet, etc.	Requisite Personal Protective equipment (PPE's) will be provided to all employees.
19	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Garland drains will be constructed to channelize storm water.



**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

20	The transportation of minerals should be done in covered trucks to contain dust emissions.	All trucks transporting materials will be covered by firmly tied tarpaulin.
21	The proponent should plant trees at least 5 times the loss that has been occurred while clearing the land for the project.	Project Proponent will plant at least 5 times the loss of plantation that has been occurred while clearing the land for the project.
22	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Spent oil will be sold to approved recyclers specified under relevant rules/regulations also re-used as a lubricant for drilling machines.
23	Explosives should be stored in magazines in isolated place specified and approved by the Explosive Department.	Explosives will be stored in a Licensed Explosives Magazine, which is approved by PESO. Copy of magazine license is attached as <b>Annexure-6</b> .
24	A minimum buffer distance of 50 M from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	No dwellings are situated within 50 M from the boundary of the quarry.
25	100 M buffer distance should be maintained from forest boundaries	Mining area is not located near any forest areas.
26	Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.	Consent from KSPCB under Air and Water Act(s) is obtained. Copy of the Consent is attached as <b>Annexure-7</b> .
27	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competitive authorities including that for blasting and storage of explosives.	All required statutory clearances from the concerned authorities are obtained. Copy of the Explosive license is enclosed as <b>Annexure-6</b> .
28	In the case of any change(s) in the scope of the Project, extent, quantity, process of mining technology involved or in any way affecting the environment parameters/impacts as assessed, based on which only the EC is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.	There is no change in the scope of the project.
29	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environmental Clearance under provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Agreed.

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

30	The stipulations by the Statutory authorities under different Acts and Notifications should be complied with including the provisions of the Water (Prevention and control of Pollution) Act,1974, the Air (Prevention and control of Pollution) Act,1981, the Environment (Protection) Act,1986, the Public Liability (Insurance) Act,1991 and EIA Notification,2006	Agreed.
31	The project proponent should advertise in at least 2 newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the Project has been accorded Environment Clearance and the copies of the Clearance letters are available with the District Environment Impact Assessment Authority (DEIAA) office and may also be seen on the website of the Authority at www.environmentclearance.nic.in. The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same signed in all the pages should be forwarded to the Office of this Authority as confirmation	Advertisements are given in two local newspapers. Photo of the Newspaper advertisement is attached as <b>Annexure-3</b> .
32	A copy of the clearance letter shall be sent by the proponent to the concerned Gram Panchayat/ District Panchayat/ Municipality/ Corporation/Urban local Body and also to the Local NGO, if any from whom suggestions/representations, if any were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.	A copy of the Clearance is submitted to the concerned authorities. Copy of Panchayat license attached as <b>Annexure-8</b> .
33	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective regional office of the MOEF, Govt. of India and also to the State Environment Impact Assessment	Half yearly compliance reports will be submitted as stipulated to State Environmental Impact Assessment Authority and the Regional Office of MoEF & CC, Bangalore. The monitored Photos and Report of Air, Noise and Water is attached as <b>Annexure-4 &amp; 5</b> .

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

	Authority (SEIAA) office and also to the District Environment Impact Assessment Authority (DEIAA), as applicable.	
34	The details of Environment Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times Roman font of size not less than 40. Sign board with extent of Lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public	Details of Environmental Clearances is prominently displayed at the entrance to the Mine. Photo of the sign board is attached as <b>Annexure-1</b> .
35	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Notarized affidavit is submitted.
36	No change in mining technology and scope of working should be made without prior approval of the DEIAA. No further expansion or modifications in the mine shall be carried out without prior approval of the DEIAA, as applicable.	Prior approval from the SEIAA will be sought in case of change of mining technology.
37	The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	No natural water course is obstructed. Necessary safeguard measures are taken to protect first order streams if originating from the mining lease in the future.
38	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.	Monitoring of Ambient Air Quality is carried out. Monitoring reports have been enclosed as Annexure-5. Water sprinkling will be done at loading and unloading points & transfer points to reduce fugitive dust emission.
39	The top soil, if any, shall be temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The Over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8 m and the width 20 m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be	Available top soil is used at the Reclamation of out pit and Green belt for plantation. OB generated will be stacked separately and being vegetated with locally available shrubs and grasses.

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

	scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo-textiles shall be undertaken for stabilization of the dump. The entire excavated area should continue until the vegetation becomes self- sustaining	
40	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly de silted particularly after monsoons and maintained properly.	Catch drains and siltation ponds will be made around the mining workings, mineral and the water from the drain is directed to the Rain Water Harvesting Pond. The water from RWHP will be utilized for watering the mine area, roads, green belt development etc. The drains will be regularly de silted particularly after monsoons and maintained properly.
41	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading points and transfer points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Regular water sprinkling will be done on all necessary roads with water tankers and sprinklers.
42	Fugitive dust emissions from all sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and transfer points should be provided and properly maintained.	Fugitive dust emissions will be controlled. Regular water sprinkling will be done on haul roads, loading, unloading and transfer points with water tankers with sprinklers.
43	Measures should be taken for control of noise levels below 85 dB (A) in the work environment.	Adequate measures for noise control will be adopted.
44	A separate environmental management cell with suitable qualified personnel should be set up under the control of a senior executive, who will report directly to the head of the Organization.	An Environment Management Cell will be set up with Mr. Anwar Sadath K. as the head of the Cell.
45	The Regional Office of the MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.	The project proponent will execute activities under Corporate Social Responsibility (CSR) for community development. The funds earmarked for environment protection measures and CSR activities has been kept in a separate account and will not be diverted for other purpose. Year wise expenditure will be reported to the DEIAA Kasaragod office.

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

46	The Regional Office of the MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Agreed
47	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agreed
48	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986.	Agreed
49	The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The DEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of the environment protection	Agreed
50	The above conditions shall prevail notwithstanding anything to the contrary, inconsistent or simplified, contained in any other permit, license on consent given by any other authority for the same project.	Agreed
51	The order is valid for a period of 5 years of the expiry date of Mine lease period issued by the Government of Kerala, whichever is earlier	Agreed
52	The Environment Clearance will be subject to the final order of the courts in any pending litigation related to the land or the project, in any court of law.	Agreed

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

53	The Mining operations shall be restricted to above ground water table and it should not intersect ground water table.	Mining operations will be restricted to above ground water table and due care will be taken so that mining does not intersect ground water table.
54	All vehicles used for transportation and within the mines shall have ‘PUC’ certificate from authorized pollution checking center. Washing of all vehicles shall be inside the Lease area	It is ensured that all transportation vehicles have ‘PUC’ Certificate issued by an authorized Pollution checking center. All the vehicles will be washed inside the lease area.
55	Project proponent should obtain necessary prior permission of the competent authorities for drawl of necessary quantity of surface and ground water for the project.	There is no need for Drawl of Surface and ground water for the project activities. The Rain Water Facility present will be made and used as a Water source.
56	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly reports to DEIAA.	No perennial nallah flows through the lease or exist around the Mine Lease.
57	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Occupational health surveillance will be undertaken periodically.

**For Granite Building Stone Quarry of ‘M/s. Galaxy Granites’**

**Sri. Anwar Sadath K**  
**(Managing Partner)**

Date:21-04-2023

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**ANNEXURE 1**

**SIGN BOARDS**



**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**





**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**ANNEXURE 2**

**BOUNDARY PILLAR & FENCING**



**ANNEXURE 3**

**NEWSPAPER ADVERTISEMENTS**



**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**ANNEXURE 4**

**MONITORING PHOTOS**



*Ambient Air Quality Monitoring*



*Noise Level monitoring*



GEMS



## GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist &amp; Surveyors)

NABL &amp; MOEFCC RECOGNIZED LABORATORY

3<sup>rd</sup> Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems\_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01

Date: 14.11.2022

### Analysis Report of Ambient Air Quality Monitoring

1	Name of the Customer/Address	: Granite Building Stone Quarry of "M/s. Galaxy Metals" Extent: 4.6085 Ha., Re-Sy. No:112/11/A-3, Balal Village, Re-Sy No: 40/1A, Parappa Village Vellarikundu taluk Kasaragod District, Kerala State.
2	Sample Description	: <b>Ambient Air Quality Monitoring</b>
3	Sample Collected By	: GLOBAL Environment & Mining Services
4	Particulars of Sample Collected	: Combined Sampler (GTI-241)
5	Duration of the Monitoring	: 24 Hour of Sampling
6	Location of Monitoring	: <b>Core zone area (A1)</b>
11	Report Number	: ULR-TC532322000001261F

### Results

Date of Monitoring	PM10 [ $\mu\text{g}/\text{m}^3$ ]	PM2.5 [ $\mu\text{g}/\text{m}^3$ ]	SO <sub>2</sub> [ $\mu\text{g}/\text{m}^3$ ]	NO <sub>2</sub> [ $\mu\text{g}/\text{m}^3$ ]
	IS : 5182: (Part 23) 2006 (RA 2012)	USEPA 2001	IS : 5182: (Part 2) 2001 (RF 2014)	IS : 5182: (Part 6) 2006 (RF 2014)
09.11.2022	46.2	17.2	8.4	10.3
<b>Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>

INFERENCE	As per CPCB Standards, Report Status: - Measured Values for the above parameters are within the limit.
-----------	---

\*\*End of Report\*\*

Analyzed By  
J.M. Thippeswamy  
Chemist



Authorized Signatory  
K. Ramakrishna Reddy  
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

#### Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GEMS

NABET  
Accredited**GLOBAL ENVIRONMENT & MINING SERVICES**

(Consulting Engineers, Mine designers, Geologist &amp; Surveyors)

NABL &amp; MOEFCC RECOGNIZED LABORATORY

3<sup>rd</sup> Main Road, Basaveswara Badavane,**HOSPETE – 583201**, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems\_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01

Date: 14.11.2022

**Analysis Report of Ambient Air Quality Monitoring**

	Granite Building Stone Quarry of “M/s. Galaxy Metals” Extent: 4.6085 Ha.,
1 Name of the Customer/Address	: Re-Sy. No:112/11/A-3, Balal Village, Re-Sy No: 40/1A, Parappa Village Vellarikundu taluk Kasaragod District, Kerala State.
2 Sample Description	: <b>Ambient Air Quality Monitoring</b>
3 Sample Collected By	: GLOBAL Environment & Mining Services
4 Particulars of Sample Collected	: Combined Sampler (GTI-241)
5 Duration of the Monitoring	: 24 Hour of Sampling
6 Name of the Station	: <b>Kanakapally</b>
7 Report Number	: ULR-TC532322000001262F

**Results**

Date of Monitoring	PM10 [µg/m <sup>3</sup> ]	PM2.5 [µg/m <sup>3</sup> ]	SO <sub>2</sub> [µg/m <sup>3</sup> ]	NO <sub>2</sub> [µg/m <sup>3</sup> ]
	IS: 5182: (Part 23) 2006 (RA 2012)	USEPA 2001	IS: 5182: (Part 2) 2001 (RF 2014)	IS: 5182: (Part 6) 2006 (RF 2014)
10.11.2022	48.3	19.1	10.2	12.8
<b>Standard</b>	<b>100</b>	<b>60</b>	<b>80</b>	<b>80</b>

INFERENCE

As per CPCB Standards,

Report Status: - Measured Values for the above parameters are within the limit.

\*\*End of Report\*\*

Analysed By  
J.M. Thippeswamy  
ChemistAuthorized Signatory  
K. Ramakrishna Reddy  
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

**Note:**

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GEMS

NABET  
Accredited**GLOBAL ENVIRONMENT & MINING SERVICES**

(Consulting Engineers, Mine designers, Geologist &amp; Surveyors)

NABL &amp; MOEFCC RECOGNIZED LABORATORY

3<sup>rd</sup> Main Road, Basaveswara Badavane,**HOSPETE – 583201**, Dist..., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems\_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01

Date: 14.11.2022

**TEST REPORT OF AMBIENT NOISE LEVEL MONITORING**

- Granite Building Stone Quarry of  
**“M/s. Galaxy Metals”**  
 Extent: 4.6085 Ha.,
- 1 Name of the Customer/Address : Re-Sy. No:112/11/A-3, Balal Village,  
 Re-Sy No: 40/1A, Parappa Village  
 Vellarikundu taluk  
 Kasaragod District, Kerala State.
- 2 Sample Description : **Ambient Noise Level monitoring**
- 3 Sample Collected By : GLOBAL Environment & Mining Services
- 4 Particulars of Sample Collected : Noise Level Meter (Equinox-107)
- 5 Duration of the Monitoring : 24 Hours Sampling
- 6 Date of Analysis Completion : 10.11.2022
- 7 Report No : ULR-TC53232200001263F

**Results**

Date	09.11.2022	10.11.2022
Name of the Location	Core Zone	Kanakapally
Time (hrs)	N1	N2
6.00	37.2	38.7
7.00	38.5	39.8
8.00	39.3	40.5
9.00	39.6	40.8
10.00	40.9	41.4
11.00	39.4	42.5
12.00	40.5	43.5
13.00	40.8	44.5
14.00	41.8	44.8
15.00	41.7	45.3
16.00	39.4	46.3
17.00	38.7	45.6
18.00	38.8	44.8
19.00	38.2	43.4
20.00	37.2	42.2
21.00	37.4	41.0
22.00	36.2	40.5
23.00	37.4	38.7
00.00	35.7	39.2
01.00	35.9	37.3
02.00	34.2	36.5
03.00	33.4	35.6
04.00	34.8	37.4
05.00	35.0	37.9

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

**Note:**

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hospete jurisdiction only.



GEMS



## GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

NABL & MOEFCC RECOGNIZED LABORATORY

3<sup>rd</sup> Main Road, Basaveswara Badavane,

**HOSPETE – 583201**, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems\_hpt@yahoo.com,

Website : www.globalmining.in

ULR-TC532322000001263F		
<b>L max</b>	41.8	45.9
<b>L min</b>	33.4	35.6
<b>Ld</b>	39.9	43.6
<b>Ln</b>	35.7	38.2
<b>Leq</b>	38.5	42.2

Area Code	Category of Area	Limit in dB(A) Leq	
		Day Time	Nighttime
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Area	50	40

Note	Day time shall mean from 6:00 am and 10.00 pm
	Night time shall mean from in between 10.00 pm and 5.00 am
	Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority
	Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority
	*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which relatable to human being
	A "decibel" is a unit in which noise is measured
"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.	
Leq: It is energy mean of the noise level over a specified period.	



*P.K.R*  
**Authorized Signatory**  
 Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

### Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



GEMS

**GLOBAL ENVIRONMENT & MINING SERVICES**

(Consulting Engineers, Mine designers, Geologist &amp; Surveyors)

NABL &amp; MOEFCC RECOGNIZED LABORATORY

3<sup>rd</sup> Main Road, Basaveswara Badavane,**HOSPETE – 583201**, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems\_hpt@yahoo.com,

Website : www.globalmining.in

GEMS-LD/TF/11/01

Date: 14.11.2022

**ANALYSIS REPORT OF WATER QUALITY DATA**

Granite Building Stone Quarry of

**“M/s. Galaxy Metals”**

Extent: 4.6085 Ha.,

- 1 Name of the Customer/Address : Re-Sy. No:112/11/A-3, Balal Village,  
Re-Sy No: 40/1A, Parappa Village  
Vellarikundu taluk  
Kasaragod District, Kerala State.
- 2 Sample Collected By : GLOBAL Environment & Mining Services
- 5 Date of sample collection : 09.11.2022
- 6 Date of sample Received : 12.11.2022
- 7 Date of sample Analyzed : 13.11.2022
- 8 Report Number : ULR-TC532322000001264F

Sl. No.	Parameters	Unit	Result	Test Protocol	Requirement/Limit IS : 10500 : 2012	
					Acceptable	Permissible
1.	pH	-	6.71	APHA 22 <sup>nd</sup> Edition 2012 4500 B (Pg No. 4-92 to 4-96)	6.5	8.5
2.	Colour*	Hazen	<5	IS: 3025 (PART 14)- 1984, RA- 2012 Platinum cobalt Method	5	15
3.	Taste*	-	Ag	IS 3025 Part 8 1984	Ag	Ag
4.	Odour*	-	Ag	IS: 3025 (Part 5) – 1983, Ra-2012, True Odour	Ag	Ag
5.	Turbidity	NTU	0.23	APHA 22 <sup>nd</sup> Edition 2012 2130 B (Pg No. 2-14)	1	5
6.	Conductivity	µS/cm	152	APHA 22 <sup>nd</sup> Edition 2012 2510 B (Pg No. 2-54)	-	-
7.	Total Dissolved Solids	mg/L	112	APHA 22 <sup>nd</sup> Edition 2012 2540 B (Pg No. 2-65)	500	2000
8.	Total Alkalinity as CaCO <sub>3</sub>	mg/L	89	APHA 22 <sup>nd</sup> Edition 2320 B (Pg No. 2-35)	200	600
9.	Total Hardness as CaCO <sub>3</sub>	mg/L	119	APHA 22 <sup>nd</sup> Edition 2012 2340 C (Pg No. 2-46)	200	600
10.	Calcium as Ca	mg/L	27	APHA 22 <sup>nd</sup> Edition 2012 3500 Ca B (Pg No. 3-84)	75	200
11.	Magnesium as Mg	mg/L	6.6	APHA 22 <sup>nd</sup> Edition 2012 3500 B-Mg By Calculation	30	100
12.	Chloride as Cl	mg/L	16.7	APHA 22 <sup>nd</sup> Edition 2012 4500 Cl (Pg No. 4-72)	250	1000
13.	Sulphate as SO <sub>4</sub>	mg/L	91	APHA 22 <sup>nd</sup> Edition 2012 4500 SO <sub>4</sub> – E (Pg No. 4-190)	200	400
14.	Nitrates as NO <sub>3</sub>	mg/L	13	APHA 23 <sup>rd</sup> Edition - 4500 NO <sub>3</sub> , – E (Pg No. 4-131 to 4-132)	45	NR
14.	Nitrate Nitrogen as NO <sub>3</sub>	mg/L	15	APHA 22 <sup>nd</sup> Edition 2012 4500 NO <sub>3</sub> E (Pg No. 4-125 to 4-127)	45	No relaxation

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

**Note:**

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



## GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

NABL & MOEFCC RECOGNIZED LABORATORY

3<sup>rd</sup> Main Road, Basaveswara Badavane,

**HOSPETE – 583201**, Dist., Vijayanagara (Karnataka)

Ph : +918394 229433, 295018

e-mail : gems\_hpt@yahoo.com,

Website : www.globalmining.in

ULR-TC532322000001264F

15.	Fluoride as F	mg/L	0.81	APHA 23 <sup>rd</sup> Edition 2017 4500 F-D (Pg No. 4-90 to 4-91)	1.0	1.5
16.	Iron as Fe	mg/L	0.23	APHA 23 <sup>rd</sup> Edition – 3500 Fe-B (Pg No. 3-80 to 3-82)	0.3	NR
17.	Sodium as Na	mg/L	10.1	APHA 23 <sup>rd</sup> Edition 2017 Na 3500 B (Pg No. 3-99 to 3-100)	-	-
18.	Potassium as K	mg/L	0.67	APHA 23 <sup>rd</sup> Edition 3500 K B (Pg No. 3-89 to 3-90)	-	-
19.	BOD 3 days at 27° C	mg/L	NIL	IS:3025 (P.44) – 1993 , RA-2014,	-	-
20.	COD as O <sub>2</sub>	mg/L	NIL	APHA 23 <sup>rd</sup> Edition 5220 C (Pg No. 5-18 to 5-19)	-	-
21.	Oil & Grease	mg/L	NIL	APHA 23 <sup>rd</sup> Edition 5520 B (Pg No.5-41 to 5-42)	0.5	NR
22.	Cadmium as Cd*	mg/L	<0.001	APHA 23 <sup>rd</sup> Edition-3111 –B (Pg No.3-20 to 3-21)	0.003	NR
23.	Copper as Cu	mg/L	<0.001	APHA-23 <sup>rd</sup> Edition 3111-B (Pg No.3-20 to 3-21)	0.02	1.5
24.	Nickel as Ni	mg/L	<0.001	APHA-23 <sup>rd</sup> Edition-3111 –B (Pg No. 3-20 to 3-21)	0.02	NR
25.	Zinc as Zn	mg/L	<0.1	APHA-23 <sup>rd</sup> Edition-3111-B (Pg No. 3-20 to 3-21)	5	15
26.	Salinity*	PPT	NIL	APHA-23 <sup>rd</sup> Edition-3111-B (Pg No. 3-20 to 3-21)	-	-
27.	Total Phosphorous	mg/L	<0.01	APHA-23 <sup>rd</sup> Edition 4500-D (Pg No. 4-154)	-	-
28.	Total Coliforms*	MPN/ 100ml	Ab	APHA 22 <sup>nd</sup> Edition 9222 B (Pg No.9-78)	-	-
29.	Faecal Coliforms	MPN/ 100ml	Ab	APHA 22 <sup>nd</sup> Edition 9222 D (Pg No.9-85)	-	-
30.	Phyto Plankton*	Unit/L	Ab	APHA 23 <sup>rd</sup> Edition 10200 F (Pg No.10-17)	-	-

Note: BDL Below Detectable Limit

Ag: Agreeable

NR: No Relaxation

RA: reaffirmed

Ab: Absent

Location: Kanakapally

**\*\*End of report\*\***

Analyzed By  
Chemist



Authorized Signatory  
Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

### Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**ANNEXURE 6**

**EXPLOSIVE LICENSE**



भारत सरकार | Government of India

वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)

पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives

केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor

CSEZ पी.ओ.कक्कनाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037

फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

ई-मेल Email: dycceernakulam@explosives.gov.in

संख्या (No.): E/SC/KL/22/1739(E70148)

दिनांक (Date): 10/11/2021

सेवा में | To:

KANWAR SADATH, Managing Partner,

M/s. Galaxy Metals, Saheer Mansion, Athinhal, P.O.Manikoth, Kanhangad., Town/Village - Ajanur  
District-KASARAGOD, State-Kerala, Pincode - 671329

12 Nov 2021

विषय : Survey No.112/11A3., ग्राम Balal(v), Vellerikundu taluk, जिला KASARAGOD, राज्य Kerala में विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/1739(E70148) के नवीनीकरण संदर्भ में।  
Subject: Possession for Use of of Explosives from magazine situated at Survey No.:112/11A3., Balal(v), Vellerikundu taluk, Dist. KASARAGOD, Kerala -Licence No.: E/SC/KL/22/1739(E70148) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 12/03/2021 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुज्ञप्ति दिनांक 31/3/2026 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।  
Reference to your letter No.: Nil dated: 12/03/2021, the subject licence duly renewed upto 31/3/2026 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

**Conditions:**

1)1. EXPLOSIVES SHALL BE USED ONLY AFTER HAVING A VALID QUARRYING LEASE FROM THE DIRECTOR OF MINING AND GEOLOGY. 2. PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF DGMS, BANGALORE AS REQUIRED UNDER MINES ACT 1952 AND METALLIFEROUS MINES REGULATIONS, 1961.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2026 से पहले इस कार्यालय को भेजे जाएं।  
For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2026.

- प्ररूप आरई-1 में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन।  
Application in Form RE-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्को का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से लाइसेंस शुल्क ऑनलाइन जमा किया जाना है।  
Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
- अनुमोदित प्लान के साथ मूल अनुज्ञप्ति।  
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।  
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाएं (आतिशबाजी गोदाम के लिए लागू नहीं)।  
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office.(Not applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासिक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाएं। विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंचानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं)।  
Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter.(Not applicable for fireworks store house)
- सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो।

All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

भवदीय | Your's faithfully

(आर.वेणुगोपाल | Dr. R.Venugopal)

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives  
कोच्ची | Ernakulam

प्रतिलिपि प्रेषित | Copy Forwarded to:

1. जिला मजिस्ट्रेट (District Magistrate), KASARAGOD (Kerala)- सूचना के लिए (for information.)

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives  
कोच्ची | Ernakulam

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें.)

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**अनुज्ञप्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3**

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)  
 (See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess : (c) for use explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/1739(E70148)

वार्षिक फीस रुपए (Annual Fee Rs): 2400/-



1. Licence is hereby granted to

**K ANWAR SADATH , Managing Partner (अधिभोगी / Occupier : K Anwar Sadath, Managing Partner).** M/s. Galaxy Metals, Saheer Mansion, Athinhal, P.O.Manikoth, Kanhangad., Town/Village - Ajanur, District-KASARAGOD, State-Kerala, Pincode - 671329

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : **Partnership Firm**

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।

possess for use of **Nitrate Mixture, Safety Fuse,**

**: Ordinary Detonator, Electric Detonators,** - के उपयोग के लिए

Licence is valid only for the following purpose.

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	100 Kg.
2.	Safety Fuse	6,1	0	2500 Mtrs
3.	Ordinary Detonator	6,3	0	1500 Nos.
4.	Electric Detonators	6,3	0	1500 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3 (b) and (c)] : **10 times as above.**

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।

The licensed premises shall conform to the following drawing (s): .

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/1739  
 : (E70148)  
 दिनांक (Dated) 06/09/2016

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address.

Survey No. 112/11A3. , ग्राम (Town/Village) : **Balal(v),Vellerikundu** पुलिस थाना (Police Station) : **Vellarikundu**  
 जिला (District) **KASARAGOD** राज्य (State) **Kerala** पिनकोड (Pincode) **671329**  
 दूरभाष (Phone) **9847777910** ई. मेल (E-Mail) **फैक्स (Fax)**

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

The licensed premises consist of following facilities.

: **MINI MAGAZINES -TWO NUMBERS**

8. अनुज्ञप्ति समय – समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2004 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञप्ति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञप्ति की शर्तें और अतिरिक्त शर्तें।  
Conditions and Additional Conditions of this licence signed by the licensing authority.
3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2021 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2021.

यह अनुज्ञप्ति अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 06/09/2016

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of  
Explosives  
South Circle, Chennai

Sd/-

**Amendments :**

- Amendment in Drawings/Facilities/Premises dated : 11/04/2019 .

नवीनीकरण के पृष्ठांकन के लिए स्थान  
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
10/11/2021	31/03/2026	Dy. Chief Controller of Explosives, Ernakulam

उप मुख्य विस्फोटक नियंत्रक  
Deputy Chief Controller of Explosives

**कानूनी चेतावनी :** विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दांडिक अपराध होगा।

**Statutory Warning :** Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**(सेट VIII | Set VIII)**

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 |अनुच्छेद 3 (ख) से (ग)| में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/1739(E70148) की शर्तें निम्नलिखित हैं ।  
The following are the conditions of licence number E/SC/KL/22/1739(E70148) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c) ) granted by Chief controller of Explosives or Controller of Explosives.

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी ।  
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्त-होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा ।  
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट हैं, रखे जाने के लिए और ऐसे रखे जाने से संबद्ध आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं ।  
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा ।  
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके : परंतु –  
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं ।  
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे ।  
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा ।  
Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—  
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space :  
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.  
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा ।  
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो ।  
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा ।  
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लायसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें ।  
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.  
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.  
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बेंचो, शैल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके । भीतरी भाग में लगी बेंचो, शैल्फें और फिटिंग यथासाध्य गिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बावत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाध्यकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है ।  
The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from;  
Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
- यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञप्तिधारी ऐसे परीक्षण के लिए तडित किस का सहाय करेगा यदि

उप मुख्य विस्फोटक नियंत्रक  
Deputy Chief Controller of Explosives  
एरनाकुलम Ernakulam

# EC Compliance Report for the period of October 2022 – March 2023

## “Granite Building Stone Quarry Project of M/s. Galaxy Metals”

परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञप्तिधारी द्वारा पश्चात्कर्ती प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी, जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :

परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य होगी :

परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है ।

If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

- उपयुक्त तथा जेब रहित कार्यकरण वस्त्रों , उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वजित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :

परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है ।

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

- अनुज्ञप्तिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक

निघन, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टॉक पुस्तक और अभिलेख प्रस्तुत करेगा । स्टॉक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी ।

The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.

- परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञप्तिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करें ।

No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.

- मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी) । यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञप्तिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा ।

Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.

मैगजीन का अनुज्ञप्तिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।

The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.

- यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी ।

Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.

- यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी ।

The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.

- विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेटों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके ।

The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.

तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओहम से अधिक नहीं होगा ।

The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.

- मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झांडी या ज्वलनशील सामग्री नहीं रहने दी जाएगी ।

A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.

- विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी ।

Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.

- किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा ।

Not more than 4 persons shall be allowed inside the magazine or store house at any one time.

- विस्फोटकों के खाली पैकेटों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा ।

Empty packages of the explosives shall be removed at the earliest and destroyed.

- अनुज्ञप्तिधारी और कर्मचारियों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए ।

The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.

- निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी ।

Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.

Deputy Chief Controller of Explosives

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

बादे अनुजापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञप्तिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।

If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.

24. अनुज्ञप्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञत फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पत्तीते खरीदेगा।

The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.

25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –

(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;

(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के प्रतिबंधित होंगे।

The possession and sale of fire-crackers generating noise level exceeding:

a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;

b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together.

26. आग या विस्फोट द्वारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुजापन प्राधिकारी और अनुजापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।

Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

**अतिरिक्त शर्तें / Additional Conditions :**

1. अनुज्ञप्तिधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा। The licensee shall not exhibit, possess and sell fireworks of foreign origin.

कृते संयुक्त मुख्य विस्फोटक नियंत्रक  
For Joint Chief Controller of Explosives  
दक्षिणांचल, चेन्नै | South Circle, Chennai

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**

उपायुक्त नियंत्रक  
Deputy Chief Controller of Explosives  
एरनाकुलम Ernakulam

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

Form DE-2  
(See rule 113 of the Explosives Rules, 2008)  
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/1739(E70148) in form LE-3 granted to K ANWAR SADATH , Managing Partner, M/s. Galaxy Metals, Saheer Mansion, Athinhal, P.O.Manikoth, Kanhangad,, Kerala-671329 .

Type of Structure(s)	Safety distances meters	
	M	UM
<b>Inside Safety Distances(ISD)</b>		
1 Room or Workshop used in Connection with the Magazine	11	17
2 Any other Explosives Magazine or store House or Factory of the Applicant		
3 Magazine Office		
<b>Middle Safety Distances(MSD)</b>		
4 Magazine Keeper's or Chowkidar's Dwelling house		
5 Railway including Minerals and Private Railways		
6 Canal (in active use) or other navigable water		
7 Dock or Pier or Jetty		
8 Public Highway or Public Road		33
9 Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10 River Embankment or Sea Embankment or Public Well		
11 Reservoir or Bounded tank/rope way		
12 Windmillor or Solar panel for Power Generation		
<b>Outside Safety Distances(OSD)</b>		
13 Dwelling House		
14 Govt. and Public Building		
15 Temple, Mosque, Church or Gurudwara or other Places of Worships		
16 Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17 Factory		
18 Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		45
19 Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		
20 Aerodrome		
21 Furnace, Kiln or Chimney		
22 Quarry or mine pit head		
23 Power House or Electric Substation		
24 Wireless Station		
25 Warehouse or other Storage Building		
26 Any other Protected works		
<b>Overhead Electric lines</b>		
27 Electric Power over head Transmission Lines above 440V		45
28 Electric Power over head Transmission Lines upto 440V		15

The Date : 06/09/2016

**Amendments :**

- Amendment in Drawings/Facilities/Premises dated : 11/04/2019

For Joint Chief Controller of Explosives  
South Circle, Chennai

उप मुख्य विस्फोटक नियंत्रक  
Deputy Chief Controller of Explosives  
एनएचएम, Ernakulam

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**



## **KSPCB CONSENT LETTER**

**FILE NO : PCB/KSRD/ICO/2236/2018**

**Date of issue : 05/10/2018**



**KERALA STATE POLLUTION CONTROL BOARD**

**CONSENT TO**

**OPERATE/AUTHORISATION/REGISTRATION**

**ISSUED UNDER**

**The Water (Prevention & Control of Pollution) Act, 1974**

**The Air (Prevention & Control of Pollution) Act, 1981**

**and**

**The Environment (Protection) Act, 1986**

**As per Application No. :8602247**

**Dated:14-08-2018**

**TO**

**M/s GALAXY METALS  
BALAL AND PARAPPA VILLAGE  
NILESHWAR  
KASARAGOD**

**Consent No. :PCB/KSRD/ICO/164/2018**

**Valid Upto :30/09/2023**

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**1. GENERAL**

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit.

1	<b>VALIDITY</b>	30/09/2023
2	Name and Address of the establishment	GALAXY METALS BALAL AND PARAPPA VILLAGE NILESHWAR KASARAGOD 671314
3	Communication	Telephone :0-9845521474 Fax :- E-mail.drshareefka@yahoo.com
4	Occupier Details	K ANWAR SADATH MANAGING PARTNER GALAXY METALS PARAPPA (PO) NILESHWAR KASARAGOD
5	Local Body	BALAL AND KINANOR KARINTHALAM PANCHAYTH
6	Survey Number	40/1A,112/11A3
7	Village	PARAPPA AND BALAL
8	Taluk	VELLARIKUNDU
9	District	KASARGOD
10	Capital Investment(Rs in Lakhs)	75
11	Scale	Small
12	Category	RED
13	Annual fee(Rs)	Rs 22000/-
	Total Fee remitted(Rs)	Rs.110000/-
14	<b>RAW MATERIAL</b>	<b>PRODUCTS</b>
	As stipulated in environmental clearance	As stipulated in environmental clearance
15	Total Power Required (HP)	338 HP

**2. CONDITIONS AS PER**

**The Water(Prevention and Control of Pollution)Act, 1974**

- 2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.
- 2.2 Water consumption: DOMESTIC-250 L/D
- 2.3 Effluent generation: no trade effluent generation

**EC Compliance Report for the period of October 2022 – March 2023  
“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

2.4 The characteristics of effluent after treatment shall confirm to the following tolerance limits:

Sl.No.	Characteristics	Unit	Tolerance Limit	
			Sewage	Trade Effluent

2.5 Mode of disposal of treated effluent: no trade effluent

**3. CONDITIONS AS PER  
The Air(Prevention and Control of Pollution)Act, 1981**

3.1 Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No.	Sources of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level	Roof Level	

3.2 Emission characteristics shall not exceed the following:

Sl.No.	Parameter	Limiting Standards (mg/Nm3)

**4. CONDITIONS AS PER  
The Environment (Protection) Act, 1986.**

4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.

4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001

4.3 Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

4.3.1 Activities for which Authorisation is granted

Collection		transport	
Reception		Storage	
Treatment		Reprocessing/Disposal	

4.3.2 Type, quantity and mode of storage/collection/disposal of hazardous wastes shall be as follows:

Sl.No.	Hazardous Waste	Schedule Category	Quantity Tonne/year

Mode of	
Storage	Disposal

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

4.4 E-waste shall be disposed off safely as per the E-Waste (Management) Rules, 2016.

**5. SPECIFIC CONDITIONS**

5.1 The location of the industry/out let shall be as per the approved drawing attached. No change or alteration or expansion of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the application and/or in the identity of the occupier/authorized agent is to be intimated to the Board forthwith.

5.2 For renewal of the Consent to Operate in case of continuance of operation of the quarry, application in the prescribed form shall be submitted through the web portal of the Board for Online Consent Management & Monitoring System 2 months prior to the date of expiry. Late application will be accepted only with fine.

5.3 The consent issued from the board is only with respect to the powers vested under the Water (prevention and control of pollution) Act 1974, Air (prevention and control of pollution) Act 1981 and the Rules there under. The operation of the quarry shall be commenced only after obtaining clearances from all concerned Authorities.

5.4 This consent will be valid only when the Environmental Clearance obtained for the quarry is valid.

5.5 There shall not be any quarrying activity between 6 pm to 6 am.

5.6 The suspended particulate matter (PM 10) in ambient air at the boundary of the quarry shall not exceed 100 microgram/m<sup>3</sup>

5.7 The suspended particulate matter (PM 2.5) in ambient air at the boundary of the quarry shall not exceed 60 microgram/m<sup>3</sup>

5.8 The sound level (Leq) at 1 m outside the boundary of the site should not exceed the ambient noise Standard applicable to the adjoining areas.

5.9 The applicant shall provide adequate facilities to conduct ambient air and sound monitoring as noted in condition 5.6 to 5.8.

5.10 Periodical monitoring of ambient air and sound shall be conducted by the applicant and the report shall be submitted to the District office of the Board once in a year.

5.11 The applicant shall put up a sign board of size 6ft x 4ft. near the main entrance of the quarry. The board shall display the name of the industry and important consent conditions.

DATE :05/10/2018

SIGNATURE & SEAL OF ISSUING AUTHORITY  
ENVIRONMENTAL ENGINEER

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**



To

K. ANWAR SADATH  
MANAGING PARTNER  
GALAXY METALS  
PARAPPA (PO)  
NILESHWAR  
KASARAGOD

- 1. This digitally signed document is legally valid as per the Information Technology Act 2000**
2. For verifying this document please go to [krocmms.nic.in](http://krocmms.nic.in) and search using date of issue/name of the unit/Application Number in “Consent Granted Applications” link in the home page of the Board’s Online Consent Management and Monitoring System.

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

**ANNEXURE 8**

## PANCHAYAT LICENSE

a.

													
നമ്പർ: 97/2022-2023/JC1/1208/22	തീയതി: 01/04/2022												
<p><b>ബളാൽ ഗ്രാമപഞ്ചായത്ത്</b>  <b>ബളാൽ പി.ഒ., കാസറ്റോഡ് (ജില്ല)</b>                  പിൻ: 671533, ഫോൺ: 04762 242235, ഇ-മെയിൽ: secbalalgp@gmail.com</p>													
<p><b>വ്യവസായം, വാണിജ്യം, സംരക്ഷകത്വം, മറ്റ് സേവനങ്ങൾക്കുള്ള</b>  <b>ലൈസൻസ്</b>                  (കെ.പി.ആർ ആക്ട് സെക്ഷൻ 232, FTE &amp; OS ലൈസൻസ് ചട്ടങ്ങൾ 1996)</p>													
ലൈസൻസിയുടെ പേര്	കെ അൻവർ സാദത്ത്												
ലൈസൻസിയുടെ മേൽവിലാസം	മാനേജിംഗ് പാർട്ടിൾ, ഗാലക്സി മെറ്റൽസ്, സഹീർ മാൻഷൻ, അതിങ്ങനാൽ, മാണിക്കോത്ത് പി ഒ, കാസർഗോഡ്												
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	ഗ്യാലക്സി മെറ്റൽസ്												
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കൽ ക്വാറി												
വാർഡ് നമ്പർ/കെട്ടിട നമ്പർ	XVI/Re Survey No:112/11A3 of Balal Village												
ലൈസൻസ് കാലാവധി	01/04/2022 മുതൽ 31/03/2023 വരെ												
ലൈസൻസ് ഫീസ് മോട്ടോർ ഫീസ് തൊഴിൽ നികുതി	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>തുക</th> <th>രസീത് നമ്പർ</th> <th>തീയതി</th> </tr> </thead> <tbody> <tr> <td>5000 /- രൂപ</td> <td>121010104561</td> <td>28/2/2022</td> </tr> <tr> <td>4000 /- രൂപ</td> <td>121010104561</td> <td>28/2/2022</td> </tr> <tr> <td>2500 /- രൂപ</td> <td>121010104562</td> <td>28/2/2022</td> </tr> </tbody> </table>	തുക	രസീത് നമ്പർ	തീയതി	5000 /- രൂപ	121010104561	28/2/2022	4000 /- രൂപ	121010104561	28/2/2022	2500 /- രൂപ	121010104562	28/2/2022
	തുക	രസീത് നമ്പർ	തീയതി										
	5000 /- രൂപ	121010104561	28/2/2022										
4000 /- രൂപ	121010104561	28/2/2022											
2500 /- രൂപ	121010104562	28/2/2022											
ലൈസൻസ് അനുവദിക്കുന്നതിന് ഹാജരാക്കിയ നിരീക്ഷണ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാപനം)	PCB Consent No:PCB/KSRD/ICO/2236/2018 valid upto 30/06/2023. 1. Explosive Licence No:E/SC/KL/22/1739(E70148) valid upto 31/03/2026 issued by Deputy Chief Controller of Explosives, Ernakulam 2. Environmental Clearance No:A/5554/2018/DEIAA dtd 31/07/2018 Issued by DEIAA Kasargod 3. Mining Mate's Certificate of Competency No:4084 issued by Chairman, Board of Mining Examinations												
ഓഫീസ് മുദ്ര	 സെക്രട്ടറി ബളാൽ ഗ്രാമപഞ്ചായത്ത് 												

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

11/04/2022 12:45

**ലൈസൻസി താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.**

- 1 കേരള പഞ്ചായത്ത് രാജ് ആകട്ടെ അതേ തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- 2 തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട ബൈലകളും നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസി കാണിക്കേണ്ടതുമാണ്.
- 3 ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസി നൽകിയിരിക്കുന്നവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്ക വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- 4 പഞ്ചായത്തിൽ നിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതാകുന്നു.
- 5 തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാക്കാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാക്കാത്ത വിധത്തിലും വ്യപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ചു, അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാക്കാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- 6 ഒരോ പ്രവർത്തിദിവസത്തിന്റെയും ട്രെയിനിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 7 ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കുകയോ ചെയ്യുന്ന ചില്ലുചവറോ, മൃഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച്, സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
- 8 ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുവരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചില്ലുചവറോ, അസഹ്യവും, ഉപദ്രവകരവുമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നതിന് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
- 9 ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് പരിപാലിക്കേണ്ടതാണ്.
- 10 അധിതം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസി നശിച്ചെടുക്കുന്നതാണ്.
- 11 ഏതെങ്കിലും തരത്തിലുള്ള തപാൽ രോഗമോ കൃഷി രോഗമോ ബ്രണമോ പകർച്ച വ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 12 17/02/2019 ലെ സ.ഉ. (കെ) നം.7/2019 പരിസ്ഥിതി ഉത്തരവ് പ്രകാരം ഒറ്റത്തവണ ഉപയോഗിക്കുന്ന നിരോധിത വസ്തുക്കൾ ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ വിതരണം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
- 13 സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും കേവലപ്പെടുത്തേണ്ടതാണ്.
- 14 20 സീറ്റിൽ കൂടുതലുള്ള ഏല്ലാ ഹോട്ടലുകളിലും റെസ്റ്റോറന്റുകളിലും ടോയ്റ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- 15 നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല, ഗ്ലൂഡ്ബ തുടങ്ങിയവ സംഭരിച്ചുവയ്ക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.
- 17 മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസി നഷ്ടപ്പെടുത്തുന്നതിന് കാരണമാകാവുന്നതാണ്.



*R. Karayi*  
സെക്രട്ടറി 1-4-22

ബളാൽ ഗ്രാമപഞ്ചായത്ത്

N.B:- ഈ ലൈസൻസി അവസാനിക്കുന്ന തീയതിക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസി പുതുക്കുന്നതിനുള്ള ഫീസ് ഒടുക്കുവരുത്തേണ്ടതാണ്.

**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

b.

										
നമ്പർ: 94/2022-2023/JC1/1162/22	തീയതി: 01/04/2022									
<b>കിനാനൂർ കരിന്തളം ഗ്രാമപഞ്ചായത്ത്</b> <b>കരിന്തളം പി.ഒ., കാസറോഡ് (ജില്ല)</b> പിൻ: 671314, ഫോൺ: 04762 235350, ഇ-മെയിൽ: seckkarinthalamgp@gmail.com										
<b>വ്യവസായം, വാണിജ്യം, സംരംഭകത്വം, മറ്റ് സേവനങ്ങൾക്കുള്ള</b> <b>ലൈസൻസ്</b> (കെ.പി.ആർ ആക്ട് സെക്ഷൻ 232, FTE & OS ലൈസൻസ് ചട്ടങ്ങൾ 1996)										
ലൈസൻസിയുടെപ്പേര്	അൻവർ സാദത്ത്									
ലൈസൻസിയുടെ മേൽവിലാസം	മാനേജിംഗ് പാർട്ട് നെർ, ഗ്യാലക്സി മൈനർസ് പരപ്പ									
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	ഗ്യാലക്സി മൈനർസ്									
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	ജിയോളജി വകുപ്പിൽ നിന്നും ലഭിക്കുന്ന ഖനനാനുമതിയിലെ നിബന്ധനകൾക്ക് വിധേയമായി പാറകളെല്ലി മുറിക്കുകയോ സംഭരിച്ച് വയ്ക്കുകയോ വില്പന നടത്തുകയോ ചെയ്യുന്നതിന്									
വാർഡ് നമ്പർ/കെട്ടിട നമ്പർ	IX/RS No.40/1A പരപ്പ വില്ലേജ്									
ലൈസൻസ് കാലാവധി	01/04/2022 മുതൽ 31/03/2023 വരെ									
ലൈസൻസ് ഫീസ് മോട്ടോർ ഫീസ് തൊഴിൽ നികുതി	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>തുക</th> <th>രസീത് നമ്പർ</th> <th>തീയതി</th> </tr> <tr> <td>5000 /- രൂപ</td> <td>104212</td> <td>07/03/2022</td> </tr> <tr> <td>2500 /- രൂപ</td> <td>104213</td> <td>07/03/2022</td> </tr> </table>	തുക	രസീത് നമ്പർ	തീയതി	5000 /- രൂപ	104212	07/03/2022	2500 /- രൂപ	104213	07/03/2022
	തുക	രസീത് നമ്പർ	തീയതി							
	5000 /- രൂപ	104212	07/03/2022							
2500 /- രൂപ	104213	07/03/2022								
ലൈസൻസ് അനുവദിക്കുന്നതിന് ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ് നൽകിയ അധികാര സ്ഥാപനം)	1. Consent No.PCB/KSRD/ICO/164/2018 dt.05/10/2018 valid upto 30/09/2023 2. Environmental Clearance No.201/2018 (No.A/5554/2018/DEIAA dt.31/07/2018 issued by DEIAA Kasaragod 3. Explosive Licence No.E/SC/KL/22/1739/(E70148) dt.10/11/2021 issued by Dy Chief Controller of Explosives Ernakulam valid upto 31/03/2026									
ഓഫീസ് മുദ്ര 	സെക്രട്ടറി <b>SECRETARY</b> Karindalam Gram Panchayat P.O. Karindalam, Kasaragod Dt.-671314									



**EC Compliance Report for the period of October 2022 – March 2023**  
**“Granite Building Stone Quarry Project of M/s. Galaxy Metals”**

11/04/2022 12:33

**ലൈസൻസി താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.**

- 1 കേരള പഞ്ചായത്ത് രാജ് ആകട്ടെ അതേ തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- 2 തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൈക്രോ നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാണ്.
- 3 ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്ക വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- 4 പഞ്ചായത്തിൽ നിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മറ്റൊരു പാടില്ലാത്തതും തൊഴിൽ നിർമ്മാണ പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- 5 തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാക്കാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാക്കാത്ത വിധത്തിലും വ്യപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാക്കാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- 6 ഒരോ പ്രവർത്തിദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 7 ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നീക്കംപിടിക്കുകയോ ചെയ്യുന്ന ചെറുചവറോ, മൃഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച്, സെക്രട്ടറിക്ക് തൃപ്തികരമായ തീരീയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
- 8 ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുവരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിപ്പുവീഴാനിടയുള്ള ഏതെങ്കിലും ഭാഗമോ, മാലിന്യമോ, ചെറുചവറോ, അസഹ്യവും, ഉപദ്രവകരവുമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയാത്തവിധം എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
- 9 ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് വാരിക്കേണ്ടതാണ്.
- 10 അധിഷ്ഠിതം ആപദിക്കുന്ന കടകളുടെ ലൈസൻസ് നശിപ്പിച്ചു നശിപ്പിക്കുന്നതാണ്.
- 11 ഏതെങ്കിലും തരത്തിലുള്ള തപാൽ രോഗമോ കൃഷി രോഗമോ വ്രണമോ പകർച്ച വ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 12 17/02/2019 ലെ സ.ഉ. (കെ.ക) നം.7/2019 പരിസ്ഥിതി ഉത്തരവ് പ്രകാരം ഒറ്റത്തവണ ഉപയോഗിക്കുന്ന നിരോധിത വസ്തുക്കൾ ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ വിതരണം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
- 13 സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
- 14 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും മോട്ടോർ സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- 15 നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല, ഗുഡ്ഡ തുടങ്ങിയവ സംഭരിച്ചുവയ്ക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.
- 17 മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് നഷ്ടപ്പെടുത്തുന്നതിന് കാരണമാകാവുന്നതാണ്.

**N.B:-** ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള ഫീസ് ഒടുക്കുവരുത്തേണ്ടതാണ്.

  
**സെക്രട്ടറി**  
**SECRETARY**  
**കിനാനൂർ കരിന്തളം ഗ്രാമപഞ്ചായത്ത്**  
**Kinnampuzha Gram Panchayat**  
**P.O. Karintala, Kollam**  
**Ph: 0471-87131**